



CENTURION[®]

KEEPING YOU SAFE SINCE 1879

TOTAL ABOVE THE NECK

Personal Protective Equipment



 A BRITISH BRAND
SINCE 1879



Centurion Safety Products, By Your Side Since 1879

Based in Thetford, England, our-cutting edge head protection systems embody a fusion of total safety and ease, enabling wearers to concentrate on their tasks unhindered.

As global leaders, we prioritize understanding users, shaping a safer working world.

Our product range, including safety helmets, bump caps, hearing and respiratory protection, exceeds industry norms. Meticulously designed for practicality and style.

Through customer education and commitment to excellence, Centurion ensures a safe and confident work environment, striving for a sustainable future.

Contents

| | |
|---------------------------|----|
| Helmet Protection Systems | 4 |
| Face Protection | 28 |
| Hearing Protection | 31 |
| Helmet Accessories | 32 |
| Cap Protection Systems | 36 |
| Icon Key | 45 |
| Product Codes | 46 |






HELMET PROTECTION SYSTEMS










Our innovative head protection systems combine total safety with total ease – so wearers are free to focus on the task at hand.

Compatible with all Centurion Accessories - Face Protection, Hearing Protection, Seasonal Protection, Mounting Accessories, Visibility Accessories, Chinstraps, Neck Capes & Helmet Spares

All information correct at time of print

SAFEST >

| POTENTIAL SEVERITY RISK | BEST | | | | BETTER | |
|---|--------------------|---|---|---|---|---|
| | High | | | | Medium Plus | |
| General Purpose Helmet Systems | Nexus Extreme Mips | Nexus HeightMaster | Nexus Exceed Mips | Nexus E:Protect | Spectrum SecurePlus | Vision Plus SecurePlus |
| | |  |  |  |  |  |
| Safety Performance Credentials | | | | | | |
| ANSI/ISEA | • | • | • | | • | • |
| Reduction of rotational forces to head | • | | • | | | |
| Lateral Deformation Protection | • | • | • | | • | • |
| EN 397 minimum requirement | • | • | • | • | • | • |
| EN 12492 front, side, rear & off crown tested | • | • | | | | |
| The Centurion Difference | | | | | | |
| Designed & made in the UK | • | • | • | • | • | • |
| BSI Kitemark | • | • | • | | • | • |
| 6 point cradle | • | • | • | • | • | • |
| Nylon textile cradle | | | | | | |
| 6 point Terylene cradle | • | • | • | • | • | • |
| Virgin Grade ABS Polymer | • | • | • | | • | • |
| Up to 3 x Tensile strength | • | • | • | | • | • |
| Dry Tech sweatband for maximum comfort | • | • | • | • | • | • |
| 4 point SecurePlus EN 397 chinstrap | | | • | | • | • |
| 4 point SecurePlus EN 12492 chinstrap | • | • | | | | |
| High performance liner for improved impact | • | • | | | | |

| BETTER | | | GOOD | | | | SPECIALISED | |
|--|---|---|---|---|---|---|--|---|
| Medium Plus | | | Medium | | | | | |
| Nexus SecurePlus | Concept SecurePlus | Concept Mips | Spectrum / Vision Plus | Nexus Core / Concept | Reflex | 1125 / 1100 | Concept Vulcan | Vulcan |
|  |  |  |  |  |  |  |  |  |
| • | • | • | • | • | | • | | • |
| | | • | | | | | | |
| • | • | • | • | • | | | | |
| • | • | • | • | • | • | • | • | • |
| | | | | | | | | |
| • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | | • |
| • | • | • | • | • | • | • | | |
| | | | | | • | | | |
| • | • | • | • | • | | • | • | • |
| • | • | • | • | • | | | | |
| • | • | • | • | • | | | | |
| • | • | • | • | • | | | | • |
| • | • | • | • | • | • | | | |
| | | • | | | | | | |

BEST
Maximum Protection, Advanced Features,
Customisation & Specialised use.

BETTER
Enhanced Protection,
Comfort Features, Durability &
Specialised Variants

GOOD
Basic Protection,
Limited Features

NEXUS E:PROTECT

The WORLD'S FIRST MOST SUSTAINABLE HELMET

Unveiling our groundbreaking helmet—a fusion of safety, peak performance, and a dedicated ally in the battle against climate change. Crafted sustainably, driving towards the replacement of fossil fuels.

ATTRIBUTES

- Exemplifying unparalleled sustainability, surpassing ABS standards.
- Trimmed down by an impressive 14g compared to its ABS counterpart, without compromising structural integrity.
- A force to be reckoned with, matching and even exceeding ABS strength, with the added capability of further reinforcement.
- Our most sought-after helmet now proudly sets itself apart with newly acquired eco-friendly advantages.
- Our premium materials, meticulously sourced from select suppliers, trace back to their origin. A sustainability breakthrough, the Nexus E:Protect is crafted from polypropylene and fortified with a wood fibre matrix at Centurion. It's not just a product; it's a commitment to a greener tomorrow.



Stone

Marble

Mustard

Black

STANDARD



APPROVED TO

[EN 397]

OPTIONAL





NEXUS EXTREME MIPS®

The WORLD'S FIRST Safety Helmet with the Mips® Cradle. The Nexus Extreme Mips® combines a low friction layer that allows the head to move inside the helmet (10mm – 15mm relative motion in all directions) which can redirect the harmful rotational motion otherwise transferred to the head.

ATTRIBUTES

- Exceeding standards and transferring less shock for improved impact and penetration protection.
- Premium Grade ABS provides high performance and optimal strength to weight ratio for the ultimate wearer protection.
- Optimized Micro Peak for maximum upward visibility.
- EN12492 Chinstrap for the ultimate retention on the ground and at height.
- Premium "Twist 2 Fit" wheel ratchet for improved head and nape protection.



REDUCES ROTATIONAL FORCES TO THE HEAD



STANDARD



APPROVED TO

[EN 12492]
 [ANSI/ISEA] Class C | LT
 [AS/NZS 1801]

OPTIONAL



TESTED TO

[EN 50365]
 [EN 397] LD | -40°F
 (In respect of shock and penetration)

NEXUS HEIGHTMASTER

Our pioneering helmet combines an advanced performance liner for improved impact with modern recreational styling - including a replaceable 4-point adjustable EN 12492 chinstrap.

ATTRIBUTES

- Advanced performance liner provides extra shock and penetration protection according to EN 12492
- Easily replaceable chinstrap for improved hygiene
- Chinstrap side adjusters for improved wearer fit and comfort
- Polyester webbing ensures that it doesn't catch on workwear Velcro



HIGH PERFORMANCE LINER INSIDE



| | | |
|---|---|--|
| <p>White Blue Red Yellow Orange</p> <p>Green Light Blue Black Bright Yellow Bright Orange</p> | <p>STANDARD</p> <p>APPROVED TO [EN 12492] [ANSI/ISEA] Class C LT [AS/NZS 1801]</p> | <p>OPTIONAL</p> <p>TESTED TO [EN 50365] [EN 397] LD -40°F (In respect of shock and penetration)</p> |
|---|---|--|

NEXUS EXCEED MIPS®

The Nexus Exceed Mips®, combines a low friction layer that allows the head to move inside the helmet (10mm – 15mm relative motion in all directions) which can redirect the harmful rotational motion otherwise transferred to the head

ATTRIBUTES

- Includes the Mips® Cradle for enhanced wearer safety.
- Exceeding standards and transferring less shock for improved impact and penetration protection.
- Premium Grade ABS provides high performance and optimal strength to weight ratio for the ultimate wearer protection.
- Optimized Micro Peak for maximum upward visibility.
- EN 397 Chinstrap for additional wearer comfort and helmet stability.
- Premium "Twist 2 Fit" wheel ratchet for improved head and nape protection.

REDUCES ROTATIONAL FORCES TO THE HEAD



STANDARD



APPROVED TO

[EN 12492]
[ANSI/ISEA] Class C | LT
[AS/NZS 1801]

OPTIONAL



CONFORMS TO

[EN 50365]
[EN 397] LD | -40°F
(In respect of shock and penetration)

CONCEPT MIPS®

Embrace unparalleled protection with our most powerful helmet, now seamlessly fortified with the cutting-edge Mips® technology for an unparalleled head protection system.

ATTRIBUTES

- 20% lighter than most helmets
- The Mips® safety system is designed to provide added safety for helmets in many accidents. For certain impacts, the Mips system can reduce harmful forces that might otherwise be transferred to the user's head
- Manufactured from high quality, strong ABS material
- Unique extended nape ensures enhanced neck protection
- High performance liner inside



3D illustration showing the Mips® safety system in a construction helmet (w/o brain).

EQUIPPED WITH MIPS® SAFETY SYSTEM



STANDARD



APPROVED TO

[EN 397] LD | MM | -40°F
[EN 50365]

OPTIONAL



VENTED

[ANSI/ISEA] Class C
[AS/NZS 1801] Class C

UNVENTED

[EN 397] 1000V a.c
[ANSI/ISEA] Class E

SPECTRUM SECUREPLUS

ABS safety helmet system with integrated over spectacles to deliver grade B EN 166 impact protection and ANSI/ISEA Z87+. Also suitable for wearers of prescription eyewear.

ATTRIBUTES

- Available with and without 4 point SecurePlus chinstrap
- Eyewear provides extra lateral and bottom coverage and provides extra protection against particles
- Anti-scratch and anti-mist coating on eyewear provides improved durability and visibility
- Soft nose bridge for enhanced wearer comfort
- Full over spectacle adjustment built in to ensure the user can obtain a perfect fit
- Spectrum with badge holder available
- Over spectacles with Grade B impact protection



OVER SPECTACLES WITH GRADE B IMPACT PROTECTION



STANDARD



HELMET APPROVED TO

[EN 397] LD | MM | -40°F
[EN 50365]

VENTED

[ANSI/ISEA] Class C | LT

OPTIONAL



UNVENTED

[EN 397] 1000V a.c
[ANSI/ISEA] Class E | LT
[CAN/CSA] Z94.1-05

OVER SPECTACLES APPROVED TO

[EN 166] 1 | B | T
[EN 170] 2C-1,2
[ANSI/ISEA] Z87+
[CAN/CSA] Z94.3-07

VISION SECUREPLUS

Our industry-leading head protection system offers wearers of prescription glasses total safety reassurance with molded integrated eye protection uniquely certified to EN 166 grade A high impact levels and ANSI/ISEA Z87+.

ATTRIBUTES

- Available with and without 4 point SecurePlus chinstrap
- Optical clarity to Class 1 for continuous use - standard on all Centurion face protection
- Grade A High Energy Impact Protection to EN 166: providing the highest impact protection possible within EN 166 - better than any other integrated eyewear on the market
- Large side pull tabs enable the wearer to quickly and easily move the visor up and down even when wearing gloves
- Includes anti-scratch and anti-mist coating for improved durability and visibility

OVER SPECTACLES WITH GRADE B IMPACT PROTECTION



STANDARD



HELMET APPROVED TO

[EN 397] 1000V a.c | LD | MM | -40°F
 [ANSI/ISEA] Class E | LT

OPTIONAL



VISOR APPROVED TO

[EN 166] 1 | A | T
 [EN 170] 2C-1,2
 [ANSI/ISEA] Z87+

NEXUS SECUREPLUS

Our multi award winning helmet combines advanced industrial safety standards with modern recreational styling including a 4-point chinstrap for added stability, security and comfort.

ATTRIBUTES

- SecurePlus 4-point quick release chinstrap for added stability and comfort
- Chinstrap side adjusters for improved wearer fit and comfort
- Micro peak for maximum upward visibility
- Polyester webbing ensures that it doesn't catch on workwear Velcro

4-POINT CHINSTRAP FOR INCREASED STABILITY



| | | | | | | | |
|--|--|--|---|--|---|------------------------|------------------------|
| | | | | | | <p>STANDARD</p> | <p>OPTIONAL</p> |
| <p>APPROVED TO [EN 397] LD MM -40°F [EN 50365] [AS/NZS 1801]</p> | | | <p>UNVENTED [EN 397] 1000V a.c [ANSI/ISEA] Class E LT -40°F [CSA/CAN] Class E</p> | | <p>VENTED [ANSI/ISEA] Class C LT -40°F [CSA/CAN] Class C</p> | | |

CONCEPT SECUREPLUS

High safety with low weight. Reassuring strength with feel-good comfort.

ATTRIBUTES

- Complete with 4 point SecurePlus EN 397 quick release chinstrap
- High performance ABS shell allows for optimal strength to weight ratio
- Internal card holder for identification or medical information
- Concept Badge Holder version available

4-POINT CHINSTRAP FOR INCREASED STABILITY



STANDARD



APPROVED TO

[EN 397] LD | MM | -40°F
[EN 50365]

OPTIONAL



UNVENTED

[EN 397] 1000V a.c.
[ANSI/ISEA] Class E

VENTED

[ANSI/ISEA] Class C

NEXUS CORE

Our multi award winning helmet combines advanced industrial safety standards with modern recreational styling.

ATTRIBUTES

- Modularity as standard. Simply by adding accessories, you can have one helmet style on site, with accessories to support different tasks
- High performance ABS material and creative design enables -40°C low temperature performance, lateral deformation and optimal strength to weight ratio allows for a strong, protective helmet
- Optimized micro peak providing maximum upward visibility
- Dry-Tech Sweatband for maximum comfort, for extended periods of use



STYLE WITH SUBSTANCE



STANDARD



APPROVED TO

[EN 397] LD | MM | -40°F
 [EN 50365]
 [AS/NZS 1801:]

OPTIONAL



VENTED

[ANSI/ISEA] Class C | LT | -40°F
 [CSA/CAN] Class C

UNVENTED

[EN 397] 1000V a.c
 [ANSI/ISEA] Class E | LT | -40°F
 [CAN/CSA] Class E

CONCEPT

High safety with low weight. Reassuring strength with feel-good comfort. Our Concept is the helmet that tore up the rule-book.

ATTRIBUTES

- Manufactured from high quality, strong ABS material
- High performance ABS shell allows for optimal strength to weight ratio
- Unique extended nape ensures enhanced neck protection
- Dry-Tech Sweatband for maximum comfort, for extended periods of use
- Concept Badge Holder version available

UP TO 20%
LIGHTER



STANDARD



APPROVED TO

[EN 397] LD | MM | -40°F
[EN 50365]

OPTIONAL



VENTED


[ANSI/ISEA] Class C
[AS/NZS 1801] Class C

UNVENTED

[EN 397] 1000V a.c
[ANSI/ISEA] Class E

ALL PRODUCTS ON THIS PAGE ARE AVAILABLE EXCLUSIVELY VIA SPECIAL ORDER

GOOD



REFLEX

For day-long comfort, our Reflex Safety Helmet offers a 6-point Nylon cradle, brushed nylon sweatband and ventilation – all as standard.

ATTRIBUTES


- Designed with safety in mind; supplied with a Silver rear Flash as standard. Also available with a Bright Yellow or Orange rear Flash

STANDARD



APPROVED TO

[EN 397] MM | -22°F
[EN 50365]



1125 CLASSIC

Our general purpose safety helmet comes with a 6-point Terylene cradle and brushed nylon sweatband.

ATTRIBUTES

- Reduced or Full Peak available
- Vented and Unvented versions available



STANDARD



APPROVED TO

[EN 397] 1000V a.c (unvented shell only) | MM | -22°F
[ANSI/ISEA] Z89.1-2014 Type 1 Class E (unvented shell only)




1100 CLASSIC

Our general purpose safety helmet is fitted with a 6-point plastic cradle.

ATTRIBUTES

- Vented and Unvented versions available
- Also available in Forestry Kit



STANDARD



APPROVED TO

[EN 397] 440V a.c (unvented shell only) | MM | 14°F

CONCEPT VULCAN

Setting new standards in extreme operating conditions. This powerhouse thrives in temperatures reaching a scorching height of +320°F.

ATTRIBUTES

- Fully adjustable wheel ratchet for a custom fit, with Vabon Sweatband for added comfort
- Effectively shields against molten metal exposures, ensuring unparalleled safety in high temperature environments
- Withstands voltages to 440V a.c, providing robust insulation against electrical hazards
- Operates flawlessly in a broad temperature spectrum, from a low of -4°F to a high of +320°F, guaranteeing reliable performance in diverse climatic conditions



Yellow

Orange

STANDARD



APPROVED TO

[EN 397] 440V a.c | MM

VULCAN

Our specialized fibreglass Vulcan safety helmet is designed to protect workers where there is a risk from high levels of radiant heat.

ATTRIBUTES

- GRP fibreglass material protects workers in foundries from high heat
- Fully adjustable wheel ratchet for a custom fit
- Fully removable EN 397 2 point optional leather chinstrap
- Comfortable fit with Terylene 6-Point Cradle and Brushed Nylon Sweatband



White

STANDARD



APPROVED TO

[EN 397] 440V a.c | LD | MM
+194°F, LD | 2000V a.c.

[ANSI/ISEA] Z89.1 Type 1 Class G (2200V ac)

OPTIONAL



CONCEPT FORESTRY KIT

Providing high safety with low weight - reassuring strength with feel-good comfort. Expertly customized with our forestry mesh visor and Sana ear defenders.

ATTRIBUTES

- Orange Vented Concept Helmet, Black Mesh Visor and Orange Sana 25 Ear Defenders
- High performance ABS helmet shell allows for optimal strength to weight ratio
- Helmet internal card holder for identification or medical information

LIGHT WEIGHT COMPLETE FORESTRY SYSTEM

Also available in 1100 range



STANDARD



OPTIONAL



HELMET APPROVED TO

[EN 397]
[EN 50365]
[AS/NZS 1801:] Class C

EAR DEFENDER APPROVED TO

[EN 352-3]

FORESTRY VISOR APPROVED TO

[EN 1731] S

HELMET PROTECTION STANDARDS


EN 397 Helmets for general use in construction and industry to provide protection to the wearer against falling objects and consequential brain injury and/or skull fracture.

ANSI Z89.1 (Type 1) Minimum performance requirements for protective helmets that reduce the forces of impact and penetration and that may provide protection from electric shock. Type 1 helmets are intended to reduce the force of impact resulting from a blow only to the top of the head.



| MANDATORY TESTS | Shock Absorption | | EN 397 | ANSI Z89.1 |
|-----------------|-------------------------------------|-------------------------------------|---|------------|
| | Drop height | 1 metre | 1.2 metre (freefall) | |
| | Maximum force allowed | 5 kiloNewtons | 3.78 kiloNewtons (average) 4.45 kiloNewtons (individual) | |
| | Energy Transmitted during test | 49 joules | 53 joules | |
| | Striker face and weight | 50mm radius hemispherical, 5kg | 95mm diameter, radius 48mm, 3.6kg | |
| | Test Conditions | 14°F, +122°F, Wet at +68°F, plus UV | -0.4°F, +120.2°F, Wet at +73.4°F | |
| | Penetration Resistance | | EN 397 | ANSI Z89.1 |
| | Drop height | 1 metre on area 50mm radius | 2.5 metres on area 38mm radius on crown | |
| | Energy Transmitted during test | 29 joules | 24.5 joules | |
| | Striker Mass | 3kg | 1kg | |
| Test Conditions | 14°F, +122°F, Wet at +68°F, plus UV | -0.4°F, +120.2°F, Wet at +73.4°F | | |


BSI Kitemark



By purchasing a product accredited with the BSI Kitemark, the user can be confident that the product continually meets the performance characteristics of the initial sample submitted for type approval.

BSI independently audit test the product on a regular basis and in order for us to retain the Kitemark, we must routinely batch test products in our own laboratory and have process control procedures in place within our production.

Centurion also hold BS EN ISO 9001:2015, a quality management standard, covering the design management, development and manufacture of our products, having held ISO 9001 since 1992.



| OPTIONAL TESTS | Lateral Deformation (LD) | | EN 397 only | |
|---|--|--|---|--|
| | Provides a level of protection against lateral compression, indicating improved side strength of helmet. Test Method: A pressure of 43kg is applied on both sides of the shell for 5 minutes and then the amount of helmet deformation is measured. | | | |
| | Low Temperature Performance | | | |
| | Helmet will still provide protection when worn at or above this temperature. Test Method: The mandatory shock absorption and penetration resistance tests are repeated at stated low temperatures. | | | -20°C/-30°C - EN 397 -30°C - ANSI Z89.1 |
| | Electrical Insulation | | | |
| | Test indicates protection from electrical shock. EN Test Method: The shell is immersed for 24 hours in 3 grams per litre of salt water. A current is passed through electrodes which are positioned both inside and outside the helmet. The maximum electrical leakage allowed is 1.2mA for 30 secs at 1200V a.c. ANSI Test Method: Test samples shall be proof-tested at indicated voltage (phase to ground). | | | 440V a.c. - EN 397, 2200V a.c. - Class G ANSI Z89.1, 20,000V a.c. - Class E ANSI Z89.1 |
| | Molten Metal (MM) | | | |
| | The test ensures that there is no penetration of molten metal splash, indicating a quality, heat resistant shell. Test Method: Test procedure is 150g of molten iron dropped onto a 50mm radius area on helmet crown. | | | EN 397 only |
| | Extra Features outside the scope of EN 397 | | | |
| | Purpose and test method is as per the relevant EN 397 options detailed above, but performance indicates a higher level of protection. | | | -40°C and 1000V a.c. |
| Resistant to Flame (F) | | | | |
| Test ensures helmet does not ignite or burn after a flame is applied for a brief period of time. EN 397 Test Method: The end of the flame is applied to the outside of the cap, 50-100mm from the crown for 10 seconds. | | | Mandatory test for EN 397 (flame resistant test) and ANSI Z89.1 (flammability test) | |

EXCEEDING STANDARDS

Here at Centurion, we believe that the standards that govern head protection (EN 397), written in 1995, and adopted from ISO3873 in 1977, could do more to meet the protection requirements for the modern working environment (available materials and methods have changed significantly).

We encourage the end customers we work with to consider their specification beyond the EN 397 standard written so many years ago. We also believe that facilities and health and safety executives should consider adding the following to their purchase specification:



BSIF Registered Safety Supplier Scheme (RSSS): Every RSSS member is independently audited every single year. Products are subjected to random testing for performance and compliance to claimed standards. RSSS members commit to their customer-facing employees being trained in the Safe Supply Accreditation programme to ensure competence in PPE and Health & Safety. Membership of the scheme involves more than testing and training. It includes a shared commitment to advocating the scheme's benefits to other health and safety providers.



Kitemark: The Kitemark is an unrivaled stamp of quality. From its creation in 1903, it is now recognized globally as a business super brand – whose independent testing has become the benchmark in product quality and compliance.

The Kitemark, in our view, is so valuable for two reasons.

Firstly, unlike the CE mark which certifies businesses to minimum legal requirements, the Kitemark sets standards of compliance that go far beyond the legal minimum.

We believe in always striving for what is best, not what is simply permitted. And we believe the Kitemark is a fitting testament to this ethos.

Secondly, much of the Kitemark's rigour is rooted in its insistence on regular testing and re-testing businesses against its exacting standards. And in its constant monitoring and review of those

standards to ensure they remain resolutely fit for the world they operate in. So, the Kitemark isn't proof that a business has 'passed a test' – it's proof that a business is constantly maintaining the highest of standards – a feat that demonstrates a deeper commitment to going above and beyond. Our job is to keep people safe. So, our view will always remain black and white. There can be no "that'll do" when lives are at risk. Acceptable isn't ever acceptable when we know we can push for better. And meeting standards will never be enough when we could be setting standards.


Chinstraps: At Centurion, we believe that chinstraps should be mandatory and that chinstraps help improve site safety. This is paramount when working in an environment where a helmet could fall on someone below, this is particularly important and often referred to "working at height". If a wearer's helmet isn't securely fitted, upon impact the protection levels will be comprised. If a wearer were to be struck by an object there is a chance that the impact could knock the helmet off their head, this would not happen if you were wearing a chinstrap and would provide protection against any subsequent impacts.

We test our products to levels above and beyond the norm, giving workers the confidence to deliver their best.

COMPATIBILITY GUIDE

At Centurion, our mission is to provide compatible, comfortable and stylish head protection systems. PPE compatibility is important as compatible systems have many benefits:

- A system from the same manufacturer is designed and tested to work together
- Fit and therefore comfort is optimized
- Wearer compliance and productivity is improved as wearers are satisfied with their PPE system





HELMET ACCESSORIES

Our system accessories combined with our helmets, caps and respiratory headpieces provide total system compatibility so workers can focus on the tasks at hand.

FACE PROTECTION STANDARDS AND OPTIONS

| Standard | Option | Type | Description |
|-------------------------------|--------------|---|--|
| EN 166:2002 | 1 | OPTICAL CLASS | Highest quality level, required for continuous usage |
| EN 166:2002 | A | MECHANICAL STRENGTH / IMPACT RESISTANCE | High speed particles with high energy impact (190m/s) |
| | B | | High speed particles with medium energy impact (120m/s) |
| | F | | High speed particles with low energy impact (45m/s) |
| | T | | Additional resistance to high speed particles at extreme temperature (-23°F-131°F) |
| ANSI/ISEA Z87.1:2010 / 2015 | Z87+ | | American National Standard for Eye and Face Protection. Impact Rated (91m/s) |
| APPLICATION BASED: | | | |
| EN 166:2002 | 9 | High / radiant heat environments: | Non adherence of molten metal and resistance to penetration of hot solids |
| EN 171:2002 | 4-5 | | Protection against InfraRed radiation. Shade 5 filter. Typical application in terms of mean temperature sources up to 1390°C |
| EN 166:2002 | 3 | Chemical and splash environments | Protection against liquid droplets and splashes |
| EN 169:2002 | 3 | Welding and braze welding of heavy metals | Filters for personal eye protection used in welding and similar operations. Scale number 3. |
| EN 166:2002 | 5 | | Welding with emissive fluxes (notably light allows) Oxygen Cutting. Scale number 5. |
| EN 175:1997 | | | Equipment for eye and face protection during welding and allied processes |
| EN 170:2002 | 2C-1,2 | | For use with sources which emit predominantly Ultra Violet Radiation at wave lengths shorter than 313nm and when glare is not an important factor. This covers the UVC and UVB bands. With enhanced color recognition. |
| | 2-1,2 | | As 2C-1,2 above - however color recognition may be impaired. |
| EN 1731:2016 | S | Forestry | Mesh type eye and face protectors for industrial and non industrial use against mechanical hazards. S marking for Robustness. |
| EN 166:2002 | 8 | Arc flash risks | Protection against Short Circuit Electric Arc. No test is required; screen needs to meet minimal requirements of material type - (best is Polycarbonate), thickness - 1.4mm minimum, scale number - 2-1,2 or 2C-1,2, height - 150mm minimum and visibility. |
| GS-ET-29 Revision 1 (2010-12) | Class 1 or 2 | | Requirements for the testing and certification of face shields for electrical works - 'Arc-in-a-box' test. Arc Protection Classes: Class 1 - 135kJ/m2 incident energy, 3.2 cal/cm2 (4kA) , Class 2 - 423kJ/m2 incident energy, 10.1 cal/cm2 (7kA) Visible Light Transmittance (VLT) Classes: Class 0 - ≥ 75%, Class 1 - 50% ≤ VLT ≥ 75%, Class 2 - VLT < 50% |
| NFPA 70E ASTM 2178 | Class 3 | | ASTM F2178 is the Standard Test Method for Determining the Arc Rating and Standard Specification for Eye or Face Protective Products. This standard test method was introduced by the American Society for Testing and Material (ASTM) and is dedicated to test face protection PPE according to NFPA 70E classifications. |

ANTI-STATIC RISKS

Specific Centurion Accessories with the Nexus helmet are certified by our Notified Body, BSI, to the electrostatic test, which assesses and confirms the electrostatic chargeability, according to IEC 60079-32-2:2015. This provides the confidence that these products can not cause an electrostatic charge and thereby not be the cause of an explosive spark or ignition.

| Helmet and Accessories | Hazardous area (Zone as per Directive 999/92/EC) | Group (as per DIN EN 60079-0) |
|--|--|--|
| Nexus HeightMaster in combination with Nexus eyeshield clear or smoke gray and/or Nexus high intensity reflective stickers | Zone 0 Zone 1 & 2 Zone 20, 21 & 22 | IIA and IIB IIA, IIB and IIC IIIA, IIIB and IIIC |
| Nexus HeightMaster in combination with Contour visor carrier and Contour polycarbonate multi purpose screen | Zone 1 & 2 Zone 20, 21 & 22" | IIA IIIA, IIIB and IIIC |

SYSTEM ACCESSORIES PRODUCT SELECTOR

| | | Automotive | Construction | Distribution | Foundry | Highways | Manufacturing | Petro-Chemical | Rail | Utilities |
|-----------------|------------------------|--|---|--|--|--|---|---|---|---|
| Hearing | Risk level | Low | Medium - High | Minimal | Low - Medium | Medium - High | Minimal - High | Medium - High | Medium - High | Minimal - High |
| | Potential risk | Air tools | Machinery/Power Tools | Accessing production area | Noisy environment | Power tools / heavy machinery / traffic noise | Background noise - noisy environment | Noisy environment | Power tools ie chainsaws, trimmers / Machinery | Sewage works / machinery (ie Excavating cables) |
| | Recommended product(s) | Helmet mounted ear defenders - S725/S730/S734, page 26 | | | | | | | | |
| Eye | Risk level | Minimal - Medium | Medium - High | Minimal | not applicable | Medium - High | Minimal - Medium | Medium - High | Low - Medium | Low - Medium |
| | Potential risk | Falling debris under vehicle | Power tools | Handling chemicals | - | Power tools / machinery | Machinery | Machinery / working near chemicals | Power tools / machinery | Debris / Power tools, machinery |
| | Recommended product(s) | Helmet integrated eyewear; Spectrum - S576, S576SE page 7, Vision Plus - S577, page 8 | | | | - | Helmet integrated eyewear; Spectrum - S576, S576SE page 7, Vision Plus - S577, page 8 | | | |
| Face | Risk level | Minimal | Low - High | Minimal | High | Low - High | Minimal - Medium | Low - Medium | Minimal - High | Minimal (High) |
| | Potential risk | Grinding/cutting | Grinding/cutting | Handling chemicals | Molten metal splash / radiant heat / Infrared / UV | Power tools / machinery / cabling | Machinery | Close proximity / working with chemicals | Forestry, Arc flash | Arc flash |
| | Recommended product(s) | Browguard mounted face screen - various, page 24 | Helmet mounted face screen - various, pages 23 and 24 | Browguard mounted face screen - various, page 24 | Helmet mounted high temperature face protection - various, page 25 | Helmet mounted face protection - general purpose or arc flash - various, pages 22-24 | Browguard or helmet mounted face screen - various, pages 23-24 | Helmet mounted face screen - various, pages 23-24 | Helmet mounted face protection - forestry, polycarbonate or arc flash face screens - various, pages 22-24 | Helmet mounted face protection - arc flash - various, pages 22-23 |
| Seasonal | Risk level | Low - Medium | Medium-High | Low - Medium | not applicable | High | Minimal | High | High | Minimal - High |
| | Potential risk | Partly External environment (tyre fitters) - External environment (mobile fitters) | Working internally or externally | Entering a cold storage area or working externally | - | External environment | Cold Storage | External environment | External environment | External environment |
| | Recommended product(s) | Warming Systems for the winter months/colder environments and Kalis Dry Cooling and Sun Capes for the Summer months - various, pages 28-29 | | | | | | | | |

CONTOUR FACE PROTECTION

CONTOUR XI

MULTI PURPOSE MOULDED FACE SCREEN

Designed to protect against EN 166 medium energy impact and Class 1 Arc Flash risks posed by electrical faults.

ATTRIBUTES

- Polycarbonate molded screen for both impact protection and Arc protection
- Anti-Fog and Anti scratch coating
- Integrated Chinguard
- Contour Carrier compatible with Centurion Nexus and Concept helmets

STANDARD



APPROVED TO

[EN 166] 1 | B | T | 8 | 9 | 3
[EN 170] 2C-1,2
[ANSI/ISEA] Z87.1+
[Arc Class 1 GS-ET-29]

EASY FIT, ARC CLASS 1
APPROVED FACE PROTECTION



CONTOUR X

GENERAL PURPOSE MOULDED FACE SCREEN

ATTRIBUTES

- Polycarbonate molded screen for medium energy impact protection
- Contour Carrier compatible with Centurion Nexus and Concept helmets

APPROVED TO

[EN 166] 1 | B | T | 9 | 3
[EN 170] 2C-1,2
[ANSI/ISEA] Z87.1+

EASY FIT, GENERAL PURPOSE
FACE PROTECTOR

CONTOUR CARRIER

GENERAL PURPOSE CONTOUR CARRIER

ATTRIBUTES

- Low profile, pivoting system follows helmet contour
- Unique TPE rubber collar is fitted as standard to help block falling debris
- Multi pivot functionality for maximum versatility
- Contour clips for fitting to Nexus and Concept helmets
- Contour Carrier compatible with Centurion Nexus and Concept helmets

APPROVED TO

[EN 166]
[ANSI/ISEA] Z87.1+



EASY FIT, LOW
PROFILE SYSTEM

CLASSIC FACE PROTECTION



CLASSIC FACE SCREENS

General Purpose face screens available in polycarbonate for medium energy impact protection, acetate for chemical resistance or acetate green for welding.

- All face screens can be used with both the Classic Carrier and the Classic headband mounted Browguard



CLASSIC CARRIER

A carrier for fitting helmet mounted face screens. For fitting Classic face screens to all Centurion helmets.



CLASSIC BROWGUARD

Classic Browguard for fitting Classic face screens when head protection is not required.



CLASSIC CHINGUARD

Chinguard for fitting to Chinguard Face Screens for additional coverage.



FORESTRY VISOR

In the unique forestry environment, our visor offers a high degree of face protection without restricting the vision of the wearer. The visor is pre-mounted onto a Centurion carrier for total protection against falling debris and for stability during use.

- Forestry Kit available, see page ??? for further information

HIGH HEAT FACE PROTECTION & ACCESSORIES



HIGH TEMPERATURE FACE SCREEN CARRIER

In conjunction with the high temperature classic face screens, a complete high temperature face system designed to supply specialist protection in areas at risk of radiant heat. Suitable for use on Nexus high heat and Vulcan helmets.



HIGH TEMPERATURE CLASSIC FACE SCREENS

High Temperature face screens available for high temperature applications.

- The Clear Triacetate or Gold Polycarbonate screen can be used with either High Heat Carrier
- The Duo screen benefits from a Copper top screen that provides protection from radiant heat as well as infrared protection for the eyes while a Clear bottom screen provides improved visibility and safety when looking down and moving around.



2 POINT EN 397 LEATHER CHINSTRAP

Specifically designed to complement the Nexus High Heat and Vulcan helmets, a leather chin strap to cope with high temperature environments.



HIGH TEMPERATURE ALUMINISED NECK CAPE

Complementing the Nexus High Heat and Vulcan helmets, this aluminised Neck Cape ensures maximum heat dissipation from the wearer.



HEARING PROTECTION

SANA HELMET MOUNTED

The Centurion Sana Ear Defenders offer a wide range of attenuation levels, from 25dB to 34dB, to suit the majority of industrial environments, providing protection against light industry noise through to extremely high noise levels.

ATTRIBUTES

- Color coded ring and front printing for easy identification and selection of the correct attenuation level.
- Compatible with the full range of Centurion safety helmets and face protection. *

SOFT WIDE CUSHIONS
FOR MAXIMUM COMFORT



SANA HEADBAND MOUNTED

The Centurion Sana Ear Defenders are also available in a Headband Mounted version.



*S570 clip required for 1125 Reduced Peak and Vulcan

STANDARD



TESTED** TO

[EN 352] 3

[ANSI/ISEA] S3.19

VISIBILITY ACCESSORIES

Centurion has considered the safety of workers in dark or poor light conditions; solutions to make them visible are High Intensity Reflective stickers, ideal for such as oncoming vehicles or Phosphorescent stickers for where there is total darkness.



HIGH INTENSITY REFLECTIVE STICKERS

Making the safe, safer. A set of high intensity, highly reflective accessory stickers, bespoke for the Centurion range of safety helmets. Helps to increase visibility of workers in low light level environments meeting material specification of EN 12899-1 Ra2.

- Provides coverage on front, side, rear and top of the helmet
- Sticker set for Reflex, Concept, Vision Plus, Nexus and Spectrum helmets.



COLOR VARIATIONS

S S30HIRS



VIZLITE DT HELMET STICKERS

The first industrial safety helmet solution providing wearer visibility with patent pending phosphorescent material.

- Vizlite DT helmet stickers absorb both natural and artificial UV light to emit an after glow in low light and dark conditions.
- The premium material exceeds ISO 17398 Class D decay time by 55% - the afterglow lasts up to 8 hours.
- Suitable for use on Centurion Nexus, Concept, Spectrum and Vision Plus helmets providing 360 visibility.
- Use in conjunction with Centurion High Intensity Reflective Stickers for visibility in both total darkness and when a vehicle headlight activates the reflective technology.

CHINSTRAPS & MOUNTING

Global data and our own analysis highlighted changes in the market with chinstrap usage becoming more specified in growing regions such as Scandinavia and Asia. Working at height is also a rapidly growing market segment, and so too are the injuries that result from this environment. We strongly believe chinstraps should be fitted on industrial safety helmets – whether on or above ground. They provide added helmet retention / security and help workers shaping our world deliver their best.



4 POINT EN 12492 CHINSTRAP

Designed specifically for the demanding Nexus HeightMaster helmet, a replacement chinstrap to ensure EN 12492 compliance.

- Gray in color to differentiate workers on site from EN 397 chinstraps



4 POINT EN 397 SECURE PLUS CHINSTRAP

Ergonomically designed chinstrap conforming to EN 397. Fitted to all SecurePlus helmet variants.

- Black in color to differentiate workers on site from EN 12492 chinstraps



2 POINT EN 397 ELASTICATED CHINSTRAP

2 point elasticated chinstrap to complement the Centurion range of helmets, fully approved to EN 397. Fitted with chin cup for extra comfort

- Black in color to identify chinstrap as an EN 397 chinstrap



HELMET ACCESSORY CLIPS - CONNECT, EURO AND CONTOUR

Accessory clips to allow the fitment of hearing and face protection products.

- Connect and Euro clips can be used on Centurion helmets with Combi slots (1100, 1125, Reflex, Concept and Spectrums)
- Connect clips can be used on Vulcan and 1125 Reduced Peak helmets
- Euro clips can be used on Nexus and Vision Plus helmets
- Contour clips can be used on Nexus and Concept helmets



COOLING SYSTEMS

KALIS DRY COOLING ACCESSORIES

The patent-pending Dry Cooling technology is designed to provide enhanced cooling comfort for the wearer. The Kalis dry cooling system is shown to keep the wearer 15°C/27°F cooler than ambient temperature and completely dry. It keeps the wearer cooler for up to 4 times longer compared to wet cooling products.

ATTRIBUTES

- Keeps the wearer 27°F cooler than the ambient temperature
- Up to 5 times longer in use life*
- 100% dry
- Anti-bacterial and machine washable
- Utilises technology found in the high end sports industry



TESTED** TO

[EN 397]

[ANSI/ISEA]

[CSA/CAN] Nexus Core and Secure Plus with ratchet only

[AS/NZS 1801:] Nexus Core and Secure Plus with ratchet only



In Partnership with:



UP TO 4X
LONGER COOLING*



SUN CAPES

Lightweight Sun Cape that protects against UltraViolet UPF 50+, blocks 98% of UV radiation. Using fabric developed specifically to keep the wearer dry, cool and comfortable.

ATTRIBUTES

- Available in Bright Yellow or Orange
- Fits to all Centurion helmets

WARMING SYSTEMS

At Centurion, we strive to design and offer solutions that ensure suitability with various tasks and potential hazards. Intuitive and compatible solutions will greatly enhance the user experience and, in turn, drive compliance. Our seasonal accessories have been designed to provide increased comfort for workers in the harshest conditions. A specialized version is available to provide flame retardant, anti-static and arc Class 2 protection.



HELMET AND BUMP CAP WINTER BEANIE

The snug fitting Winter Beanie fits securely on the head under a helmet or bump cap to provide warmth and comfort during winter months or in cold storage environments.

- Tested in all Centurion helmets and bump cap systems
- The water resistant coating provides protection from the rain

Product Codes: S50HCB



FROST CAPE

- Frost Cape: water resistant outer with fleece inner and bright orange or yellow color with reflective rear strip. Zip top fastening to be fitted to fleece helmet liner
- Frost Cape with ear defender compatibility: All as per existing Frost Cape, but with integrated Fleece Helmet Liner and facility to use helmet-mounted Ear Defenders or for improved hearing due to mesh ear flaps

Product Codes: S50HVYFC Frost Cape bright Yellow / S50HVOFC Frost Cape bright Orange / S50HVEDFC Frost Cape bright Yellow with Ear Defender Compatibility / S50HVOEDFC Frost Cape bright Orange with Ear Defender Compatibility / S50NBFCSP Specialized Frost Cape (flame resistant, anti-static and arc protective fabric) for the specialized fleece helmet liner



UNIVERSAL FLEECE HELMET LINER

The Centurion Fleece helmet liner fits between the Centurion cradle and helmet shell to give an excellent, secure fit of the helmet on your head.

- Fits between cradle and helmet shell for full integration

Product Codes: S50UFLSP Specialized Fleece Helmet Liner (flame resistant, anti-static and arc protective fabric)



FACE WARMER

Fits to Frost Cape for total head and face warmth.

Product Code: S50FW: Face Warmer



CAP PROTECTION SYSTEMS

Our innovative bump cap range sets standards in form and function – deeply practical, supremely comfortable and stylishly designed.

AIRPRO SECURE PLUS BUMP CAP

Our flagship baseball bump cap designed to provide unrivaled head retention and wearer comfort. The first ever baseball bump cap to incorporate a ratchet adjustment system.

ATTRIBUTES

- Innovative new ratchet adjustment
- Crown ventilation for increased cooling
- Treated with Dupont Teflon for easy cleaning and improved hygiene
- Liner manufactured from ABS for optimal strength
- Peak options available: Full (50mm), Reduced (30mm)
- Side Scoops available for compatibility with headband mounted ear defenders (MOQ 500 units)

UP TO 50% BETTER HEAD RETENTION AND STABILITY*



*based on Centurion test protocol compared to 9 popular caps
Patent Pending: UK Patent Application No: GB1804631.8



Navy Blue
Reduced Peak Available



Black
Reduced Peak Available



Bright Yellow

Other colors available on request. Contact customer services for details.

STANDARD



APPROVED TO

[EN 812] -40°F

OPTIONAL



AIRPRO BUMP CAP

Our bump cap has been designed for maximum breathability, maximum comfort and minimum weight, with approval to EN 812.

ATTRIBUTES

- Designed to provide maximum breathability for increased coolness
- One of the lightest Bump caps around at only 135g
- Treated with Dupont® Teflon® fabric protector, enabling small spills and grime to be easily wiped away
- Peak options available: Full (50mm), Reduced (30mm), Micro (15mm)
- Side Scoops available for compatibility with headband mounted ear defenders (Navy Blue Only) (MOQ 500 units)

PROVIDING COMFORT, SAFETY & STYLE



STANDARD



OPTIONAL



APPROVED TO

[EN 812] -40°F

COOL CAP BUMP CAP

Our fashion-led CoolCap combines high ventilation, high flexibility and reassuring protection against minor bumps and scrapes to the head.

ATTRIBUTES

- Cap is fitted over an ABS liner to provide lightweight head protection
- Corporate badging via embroidery or transfer print

STANDARD



APPROVED TO

[EN 812] -40°F

OPTIONAL



HIGH PERFORMANCE ABS LINER



Navy Blue

Royle Blue
White Stock
Lasts

Red

Black
Reduced Peak White
Stock Lasts

Green

Bright Yellow

Bright Orange



CAP 2000 BUMP CAP

Our robust CAP 2000 offers reassuring protection against minor bumps and scrapes to the head.

ATTRIBUTES

- Traditional panel baseball bump cap with ventilation mesh grills
- Complete with full 360° ABS liner

STANDARD



APPROVED TO

[EN 812] -40°F

OPTIONAL



VELCRO STRAP FOR EASY ADJUSTMENT



Navy Blue

Black

HDPE BUMP CAP


Our low impact lightweight Bump Cap offers hygienic protection - ideal for use in the food industry when sterilization is required

ATTRIBUTES

- Features a PVC sweatband for comfort
- Replaceable, adjustable plastic cradle
- Suitable for chilled work environments up to -22°F



ALL PRODUCTS ON THIS PAGE ARE AVAILABLE EXCLUSIVELY VIA SPECIAL ORDER




CAP PROTECTION STANDARDS

EN 812 Bump Caps provide protection to the wearer against the effects of striking head/scalp against hard or sharp stationary objects. Not intended to provide protection against effects of falling, thrown objects, moving or suspended loads.

| | | | |
|-----------------|--|--|--------|
| MANDATORY TESTS | Shock Absorption | | EN 812 |
| | Drop height | 0.25 metre | |
| | Maximum force allowed | 15 kiloNewtons | |
| | Energy Transmitted during test | 12.5 joules | |
| | Striker face and weight | 100mm diameter flat, 5kg | |
| | Test Conditions | 14°F, +122°F, water immersion and artificial ageing | |
| | Penetration Resistance | | EN 812 |
| | Drop height | 0.5 metre | |
| | Energy Transmitted during test | 2.5 joules | |
| | Striker Mass | 0.5kg | |
| Test Conditions | 14°F, +122°F, water immersion and artificial ageing | | |

BSI Kitemark



By purchasing a product accredited with the BSI Kitemark, the user can be confident that the product continually meets the performance characteristics of the initial sample submitted for type approval.

BSI independently audit test the product on a regular basis and in order for us to retain the Kitemark, we must routinely batch test products in our own laboratory and have process control procedures in place within our production.

Centurion also hold BS EN ISO 9001:2015, a quality management standard, covering the design management, development and manufacture of our products, having held ISO 9001 since 1992.

| | | |
|----------------|---|----------------|
| OPTIONAL TESTS | Low Temperature Performance | |
| | <p>Helmet will still provide protection when worn at or above this temperature. Test Method: The mandatory shock absorption and penetration resistance tests are repeated at stated low temperatures.</p> | -40°F - EN 812 |
| OPTIONAL TESTS | Resistant to Flame (F) | |
| | <p>Test ensures cap does not ignite or burn after a flame is applied for a brief period of time. EN 397 Test Method: The end of the flame is applied to the outside of the cap, 50-100mm from the crown for 10 seconds.</p> | EN 812 only |

CORPORATE BADGING

Here at Centurion, we aim to make the complex simple, our four-step corporate badging process makes branding safety helmets and bump caps easy. Corporate badging is one of the most important elements your company requires.

ATTRIBUTES

- No set up cost for new logo's
- Spectrum has the widest front print area of any safety helmet
- Pad print on the front, rear and sides of helmets
- Embroider or transfer printing on the front of caps

END USER BENEFITS

- Promote your company
- Help your employees stand out on site
- Easily identify your workers task or position
- Use the helmet to promote safety messages
- Ensures PPE is provided by the company

**CONTROL & PROMOTE
SAFETY COMPLIANCE**

FRONT



BACK



SIDES



HELMET LOGO PRINTING

| Product | Print Area on Helmet | Max Print Size (1) | | Min, Order Qty (2) | Max Colors per position (3) |
|--------------------|--------------------------|--------------------------------|------------------------------|---------------------|-----------------------------|
| | | Width | Height | | |
| Spectrum | Front | 95mm | 45mm | 40 | 6 |
| | Sides | 100mm | 20mm | | |
| | Back | 100mm | 20mm | | |
| Vision Plus | Front | 70mm | 10mm or 50mm or 60mm | 40 | 6 |
| | Back | 60mm 25mm 100mm | 30mm | | |
| Nexus | Front | 75mm | 40mm | 40 | 6 |
| Nexus HeightMaster | Sides | 50mm | 40mm | 10 Nexus HM only | 2 |
| | Back | 50mm | 50mm | | |
| Concept | Front | 85mm | 50mm or 60mm | 40 | 6 |
| | Sides | 25mm | 80mm | | |
| | Back | 80mm 100mm 30mm | 35mm 20mm or 25mm | | |
| Reflex | Front | 80mm | 40mm | 40 | 6 |
| | Sides Back (on flash) | 75mm 40mm 100mm 100mm | 45mm 60mm 35mm 30mm | | |
| 1125 Classic | Front | 50mm | 40mm or 45mm | 40 | 5 (in total) |
| | Sides or Back | 45mm 100mm | 45mm 30mm | | |
| 1100 Classic | Front | 50mm | 40mm or 45mm | 80 | 5 (in total) |
| | Sides or Back | 45mm 100mm | 45mm 30mm | | |

- (1) Size of logo may vary depending on shape and style of design.
- (2) Minimum order quantity is per helmet model and color.
- (3) Maximum number of colors per position on one helmet (except for 1125 Classic and 1100 Classic which is the total number of passes per helmet).

BUMP CAP LOGO PRINTING & EMBROIDERY

| Product | Print Area on Cap Embroidery Transfer Printing (1) | Max Print Size (2) | | Min, Order Qty (3) | Max Colors per position |
|-----------------------------|---|------------------------|----------------------|--------------------|-------------------------|
| | | Width | Height | | |
| Cap2000 and CoolCap | Front, others on request | 100mm | 50mm | 40 | 5 |
| AirPro SecurePlus AirPro | Front Sides - transfer printing only | 100mm 100mm 40mm | 50mm 25mm or 50mm | 40 | 5 |

- (1) Minimum area 4mm square, half tones may/may not work depending on design.
- (2) Size of logo may vary depending on shape and style of design.
- (3) Minimum order quantity is per cap model and color.

SANA EAR DEFENDERS LOGO PRINTING

| Product | Print Area on Ear Defenders | Max Print Size (2) | | Min, Order Qty (3) | Max Colors per position |
|--------------------|-----------------------------|--------------------|--------|--------------------|-------------------------|
| | | Width | Height | | |
| Sana Ear Defenders | Sides | 40mm | 40mm | 40 | 3 |

- (1) Minimum area 4mm square, half tones may/may not work depending on design.
- (2) Size of logo may vary depending on shape and style of design.
- (3) Minimum order quantity is per cap model and color.



ICON KEY

As you may have noticed, we have created a dynamic new look for the Centurion brand. This goes far beyond “just a logo change”. Below, we have created a suite of icons to help simplify the navigation of our collection and enhance your experience.



ABS

Made with virgin ABS polymer, special grades of ABS that we have perfected over 15 years of ABS manufacturing experience.



Chinstrap - 2 Point Mounting Facility

2-point chinstrap mounting facility accessory to complement the Centurion range of helmets.



Chinstrap - 4 Point Mounting Facility

4-point chinstrap mounting facility providing additional wearer comfort and helmet stability.



Integrated Eyewear

Eye protection integrated to the helmet shell. Can provide increased impact protection, greater protection levels and a value proposition.



Reflective Stickers Available

High intensity reflective stickers available for increased visibility in poor lighting conditions.



Vented Helmet Available

Innovative ventilation system for increased airflow and a cooler helmet in warmer conditions.



Logo Service

Corporate badging available, pad printing service for helmets and embroidery or transfer print for caps.



Wheel Ratchet Headband

Premium Twist2Fit ratchet headband assembly for a secure fit.



Combi Accessory Slot

Patented Combi accessory slot for attachment of the full range of Euro and Connect accessories.



Euro Accessory Slot

Euro 30mm accessory slot for attachment of the full range of Centurion accessories.



Connect Accessory Slot

Connect accessory slot for attachment of the full range of Connect accessories.



Fire retardant

A substance that prevents or inhibits the outbreak of fire. Treated so as to be non-flammable.



High Temperature

Suitable for high temperature environments.



DryTech Sweatband

New premium DryTech sweatband provides up to 40% faster drying and absorbs 4x more moisture when compared to Centurion's previous Hydro-flock sweatband.



BSI Kitemark

BSI Kitemark approved. The Kitemark is an unrivaled stamp of quality.



Sustainable

A sustainable product made from materials traceable to their origin from select suppliers.



Made in UK

Made in the Centurion manufacturing facility in Thetford, Norfolk, UK.



Badge Holder Available

Fitted to accessory.



Anti Static

Approved to the Anti static / explosive atmosphere standard (IEC 60079-32).



Welding

Suitable for welding applications.



Working At Height

Suitable for working at height applications.



Forestry

Suitable for forestry applications.



First to Market

Centurion were first to bring the product/concept to market.



Arc Class 1

Arc GS-ET-29 Class 1 Face Protection.



Arc Class 2

Arc GS-ET-29 Class 2 Face Protection.



Arc Class 3

Arc ATPV Class 3 Face Protection.



PRODUCT CODES

Our product codes simplify the ordering process. Each code is a unique identifier, granting instant access to your needed item. No more confusion – just precise browsing, selection, and confident ordering for the right product, every time.

AIRPRO BUMP CAPS

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9019827 | S38K | AirPro Black Bump Cap |
| 9019833 | S38HVO | AirPro Bright Orange Bump Cap |
| 9019832 | S38HVV | AirPro Bright Yellow Bump Cap |
| 9019831 | S38E | AirPro Gray Bump Cap |
| 9019826 | S38NB | AirPro Navy Blue Bump Cap |
| 9019836 | S38KRP | AirPro Reduced Peak Black Bump Cap |
| 9019841 | S38HVYRP | AirPro Reduced Peak Bright Yellow Bump Cap |
| 9019834 | S38NBRP | AirPro Reduced Peak Navy Blue Bump Cap |
| 9019825 | S38NBRPSS | AirPro Reduced Peak Navy Blue Side Scoops for Ear Defender Compatibility Bump Cap |
| 9019828 | S38RB | AirPro Royal Blue Bump Cap |
| 9019829 | S38R | AirPro Red Bump Cap |
| 9019830 | S38G | AirPro Green Bump Cap |

AIRPRO SECUREPLUS BUMP CAPS

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9019801 | S38KR | AirPro SecurePlus Black Wheel Ratchet Bump Cap |
| 9019806 | S38HVYR | AirPro SecurePlus Bright Yellow Wheel Ratchet Bump Cap |
| 9019800 | S38NBR | AirPro SecurePlus Navy Blue Wheel Ratchet Bump Cap |
| 9019809 | S38KRPR | AirPro SecurePlus Reduced Peak Black Wheel Ratchet Bump Cap |
| 9019808 | S38NBRPR | AirPro SecurePlus Reduced Peak Navy Blue Wheel Ratchet Bump Cap |

CAP 2000 BUMP CAPS

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|-----------------------------|
| 9019864 | S18K | CAP 2000 Black Bump Cap |
| 9019863 | S18NB | CAP 2000 Navy Blue Bump Cap |

COOLCAP BUMP CAPS

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9019854 | S28K | CoolCap Black Bump Cap |
| 9019859 | S28HVO | CoolCap Bright Orange Bump Cap |
| 9019860 | S28HVV | CoolCap Bright Yellow Bump Cap |
| 9019857 | S28G | CoolCap Green Bump Cap |
| 9019853 | S28NB | CoolCap Navy Blue Bump Cap |
| 9019861 | S28NBRP | CoolCap Navy Blue Reduced Peak Bump Cap |
| 9034430 | S28NBRS | CoolCap Navy Blue Reflective Strips Bump Cap |
| 9019856 | S28R | CoolCap Red Bump Cap |
| 9019862 | S28KRP | CoolCap Black Reduced Peak |

HDPE BUMP CAPS

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|----------------------|
| 9019520 | S19B | HDPE Bump Cap Blue |
| 9019521 | S19G | HDPE Bump Cap Green |
| 9019522 | S19O | HDPE Bump Cap Orange |
| 9019523 | S19R | HDPE Bump Cap Red |
| 9019524 | S19W | HDPE Bump Cap White |
| 9019525 | S19Y | HDPE Bump Cap Yellow |

COMPRESSED AIR

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---------------------|
| 9019569 | M23B | Classic Belt |

ARC FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9034117 | S910AEA | Classic Clear Polycarbonate Electric Arc Chinguard Face Screen *obsolete - available while stocks last |
| 9034137 | S590AEA | Classic Clear Polycarbonate Electric Arc Face Screen *obsolete - available while stocks last |
| 9034134 | S820S55 | Contour XII Light-Green Class 2 Arc Face Screen and Contour Carrier |
| 9034103 | S25WCONTAEA | White Nexus Contour XI Multi Purpose Class 1 Arc Face Screen Helmet Kit |
| 9034104 | S25WR820 | White Nexus Contour XII Light-Green Class 2 Arc Face Screen Helmet Kit |

BROWGUARD FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---------------------------------------|
| 9034107 | S89SR | Classic Black Slip Ratchet Browguard |
| 9034106 | S89 | Classic Black Wheel Ratchet Browguard |
| 9034110 | S89CSR | Classic Clear Slip Ratchet Browguard |
| 9034109 | S89CAEA | Classic Clear Wheel Ratchet Browguard |

CHIN GUARD & FACE SCREEN FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034114 | S91C | Classic Clear Polycarbonate Chinguard |
| 9034118 | S912 | Classic Clear Acetate Antifog Chinguard Face Screen |
| 9034116 | S911 | Classic Clear Acetate Chinguard Face Screen |
| 9034119 | S910 | Classic Clear Polycarbonate Chinguard Face Screen |

FORESTRY VISOR FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9034158 | S59CE | Metal Mesh Forestry Visor |
| 9947362 | S251EOCF30 | Forestry Visor with 1100 Orange Vented Helmet and Sana 30 ear defenders |
| 9947363 | S25CCOF30 | Forestry Visor with Concept Orange Vented Helmet and Sana 30 ear defenders |
| 9947364 | S25CCOFRL30 | Forestry Visor with Concept Orange SecurePlus (4 pt Chinstrap) and Wheel Ratchet Vented Helmet and Sana 30 ear defenders |
| 9947365 | S25CCOL30 | Forestry Visor with Concept Orange SecurePlus 4 pt Chinstrap Helmet and Sana 30 ear defenders |

GENERAL PURPOSE FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034149 | S54P | Classic Face Screen Carrier for fitting to 3M Peltor Ear Defenders |
| 9034152 | S54B | Classic Face Screen Carrier for fitting to Honeywell Bilsom Ear Defenders |
| 9034150 | S54TCE | Classic Face Screen Carrier with adjustment thumbscrews with Euro and Connect clips |
| 9034129 | S54CE | Classic Face Screen Carrier with Euro and Connect clips |
| 9034133 | S55 | Contour Face Screen Carrier |
| 9034138 | S592 | Classic Clear Acetate Anti-fog Face Screen |
| 9034139 | S591 | Classic Clear Acetate Face Screen |
| 9034128 | S590 | Classic Clear Polycarbonate Face Screen |
| 9034131 | S600 | Classic Clear Polycarbonate Face Screen for Contour Carrier |
| 9034141 | S593 | Classic Green Acetate Shade 3 Face Screen |
| 9034142 | S595 | Classic Green Acetate Shade 5 Face Screen |
| 9034127 | S580 | Classic Short Clear Polycarbonate Face Screen |
| 9034463 | S800 | Contour X Clear General Purpose Face Screen |
| 9034450 | S810 | Contour XI Clear Multi Purpose / Class 1 Arc Face Screen |

HIGH TEMPERATURE FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9946471 | S58 | High Heat Face Screen Metal Carrier |
| 9034151 | S57P | High Heat Face Screen Carrier for fitting to 3M Peltor Ear Defenders |
| 9034153 | S57B | High Heat Face Screen Carrier for fitting to Honeywell Bilsom Ear Defenders |
| 9034136 | S57TCE | High Heat Face Screen Carrier with adjustment thumbscrews with Euro and Connect clips |
| 9034135 | S57CE | High Heat Face Screen Carrier with Euro and Connect clips |
| 9034147 | S598 | High Heat Clear Triacetate Face Screen |
| 9034145 | S760 | High Heat Gold Polycarbonate Face Screen |
| 9946566 | S770 | High Heat Duo Copper/Clear Triacetate Face Screen |

WELDING SHIELD FACE PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034223 | S903NCE | Fixed Shade Helmet Mounted Welding Shield with Euro and Connect clips |

HEARING PROTECTION

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--------------------------------------|
| 9943634 | S725 | Sana 25 Helmet Mounted Ear Defenders |
| 9943638 | S730 | Sana 30 Helmet Mounted Ear Defenders |
| 9943639 | S734 | Sana 34 Helmet Mounted Ear Defenders |
| 9946467 | | Sana 25/26 Ear Defenders Hygiene Kit |
| 9946468 | | Sana 30/31 Ear Defenders Hygiene Kit |
| 9946469 | | Sana 34/36 Ear Defenders Hygiene Kit |

ACCESSORIES & SPARES HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034120 | S30E | 2 point Elasticated Polyester / Nylon EN 397 Chinstrap |
| 9034122 | S30L | 2 point Leather EN 397 Chinstrap |
| 9034123 | S30V | High Heat 2 point Leather Chinstrap for Vulcan helmet |
| 9034181 | S30NY | Nexus HeightMaster 4 point Polyester EN 12492 Chinstrap |
| 9034124 | S30LY | SecurePlus 4 point Polyester EN 397 Chinstrap |
| 9034130 | S30BHVO | Bright Orange Helmet Protective Bag |
| 9034173 | S570 | Accessory clips for helmets with Connect accessory slots |
| 9034175 | S565 | Accessory clips for helmets with Euro accessory slots |
| 9034174 | S585 | Accessory clips for helmets with Euro accessory slots for use with Contour carrier |
| 9034179 | S36 | Aluminised Neck Cape |
| 9034113 | S30GC | Accessory clips for attaching goggles or lamps to helmets (2 per PK) |
| 9034184 | S589 | Nexus Clear Eyeshield |
| 9034185 | S589SE | Nexus Smoke Eyeshield |
| 9034448 | S576 | Spectrum Clear Over Spectacles |
| 9034449 | S576SE | Spectrum Smoke Over Spectacles |
| 9034198 | S577 | Vision Plus Clear Visor |
| 9034172 | S33/1 | Headband Cradle Assembly Plastic |
| 9034159 | S33/17 | Headband Cradle Assembly - Plastic PVC Sweatband |
| 9034161 | S33/3 | Headband Cradle Assembly - Terylene Brushed Nylon Sweatband |
| 9034162 | S33/7 | Headband Cradle Assembly - Terylene Brushed Nylon Sweatband for Vulcan |
| 9034163 | S33/34 | Headband Cradle Assembly - Terylene Dry-Tech Sweatband |
| 9034164 | S33/14 | Headband Cradle Assembly - Terylene PVC Sweatband |
| 9034165 | S33/13 | Headband Cradle Assembly - Terylene Ratchet Brushed Nylon Sweatband |
| 9034166 | S33/11 | Headband Cradle Assembly - Terylene Ratchet Brushed Nylon Sweatband for Vulcan |
| 9034167 | S33/35 | Headband Cradle Assembly - Terylene Ratchet Dry-Tech Sweatband |
| 9034160 | S33/5 | Headband Cradle Assembly - Terylene Black Ratchet PVC Sweatband |
| 9034169 | S33/12 | Headband Cradle Assembly - Terylene Ratchet Standard Vab Sweatband for Vulcan |
| 9034171 | S33/9 | Headband Cradle Assembly - Terylene Standard Vab Sweatband for Vulcan |
| 9946451 | NEW | Headband Cradle Assembly - Terylene Wheel Ratchet Vabon Sweatband for Nexus High Heat |
| 9034182 | S30NL | Nexus Liner |
| 9034192 | S31N | Sweatband Brushed Nylon |
| 9034194 | S31D | Sweatband Dry-Tech |
| 9034196 | S31P | Sweatband PVC |
| 9034197 | S31VK | Sweatband Vabon |

1100 HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9013148 | S01CBA | 1100 Full Peak Blue Slip Ratchet Non Vented Combi Helmet |
| 9013157 | S01CBC | 1100 Full Peak Blue Slip Ratchet Non Vented Combi with Brushed Nylon sweatband Helmet |
| 9013020 | S01EBF | 1100 Full Peak Blue Slip Ratchet Vented Euro Helmet |
| 9013028 | S01EBCF | 1100 Full Peak Blue Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |
| 9013150 | S01CGA | 1100 Full Peak Green Slip Ratchet Non Vented Combi Helmet |
| 9013159 | S01CGC | 1100 Full Peak Green Slip Ratchet Non Vented Combi with Brushed Nylon sweatband Helmet |
| 9013021 | S01EGF | 1100 Full Peak Green Slip Ratchet Vented Euro Helmet |
| 9013029 | S01EGCF | 1100 Full Peak Green Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |
| 9013151 | S01COA | 1100 Full Peak Orange Slip Ratchet Non Vented Combi Helmet |
| 9013160 | S01COC | 1100 Full Peak Orange Slip Ratchet Non Vented Combi with Brushed Nylon sweatband Helmet |
| 9013023 | S01EOF | 1100 Full Peak Orange Slip Ratchet Vented Euro Helmet |
| 9013031 | S01EOCF | 1100 Full Peak Orange Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |
| 9013153 | S01CRA | 1100 Full Peak Red Slip Ratchet Non Vented Combi Helmet |
| 9013162 | S01CRC | 1100 Full Peak Red Slip Ratchet Non Vented Combi with Brushed Nylon sweatband Helmet |
| 9013024 | S01ERF | 1100 Full Peak Red Slip Ratchet Vented Euro Helmet |
| 9013032 | S01ERCF | 1100 Full Peak Red Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |
| 9013154 | S01CWA | 1100 Full Peak White Slip Ratchet Non Vented Combi Helmet |
| 9013163 | S01CWC | 1100 Full Peak White Slip Ratchet Non Vented Combi with Brushed Nylon sweatband Helmet |
| 9013025 | S01EWF | 1100 Full Peak White Slip Ratchet Vented Euro Helmet |
| 9013033 | S01EWCF | 1100 Full Peak White Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |
| 9013155 | S01CYA | 1100 Full Peak Yellow Slip Ratchet Non Vented Combi Helmet |
| 9013164 | S01CYC | 1100 Full Peak Yellow Slip Ratchet Non Vented Combi with Brushed Nylon Sweatband Helmet |
| 9013026 | S01EYF | 1100 Full Peak Yellow Slip Ratchet Vented Euro Helmet |
| 9013034 | S01EYCF | 1100 Full Peak Yellow Slip Ratchet Vented Euro with Brushed Nylon sweatband Helmet |

1125 HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9013219 | S03CKA | 1125 Full Peak Black Slip Ratchet Non Vented Combi Helmet |
| 9013083 | S03EKF | 1125 Full Peak Black Slip Ratchet Vented Euro Helmet |
| 9013220 | S03CBA | 1125 Full Peak Blue Slip Ratchet Non Vented Combi Helmet |
| 9013247 | S03CBG | 1125 Full Peak Blue Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013084 | S03EBF | 1125 Full Peak Blue Slip Ratchet Vented Euro Helmet |
| 9013256 | S03CBR | 1125 Full Peak Blue Wheel Ratchet Non Vented Helmet |
| 9013116 | S03EBRF | 1125 Full Peak Blue Wheel Ratchet Vented Euro Helmet |
| 9013222 | S03CGA | 1125 Full Peak Green Slip Ratchet Non Vented Combi Helmet |
| 9013249 | S03CGG | 1125 Full Peak Green Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013085 | S03EGF | 1125 Full Peak Green Slip Ratchet Vented Euro Helmet |
| 9013258 | S03CGR | 1125 Full Peak Green Wheel Ratchet Non Vented Helmet |
| 9013117 | S03EGRF | 1125 Full Peak Green Wheel Ratchet Vented Euro Helmet |
| 9013223 | S03COA | 1125 Full Peak Orange Slip Ratchet Non Vented Combi Helmet |
| 9013250 | S03COG | 1125 Full Peak Orange Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013087 | S03EOF | 1125 Full Peak Orange Slip Ratchet Vented Euro Helmet |
| 9013259 | S03COR | 1125 Full Peak Orange Wheel Ratchet Non Vented Combi Helmet |
| 9013119 | S03EORF | 1125 Full Peak Orange Wheel Ratchet Vented Euro Helmet |
| 9013225 | S03CRA | 1125 Full Peak Red Slip Ratchet Non Vented Combi Helmet |
| 9013252 | S03CRG | 1125 Full Peak Red Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013088 | S03ERF | 1125 Full Peak Red Slip Ratchet Vented Euro Helmet |
| 9013261 | S03CRR | 1125 Full Peak Red Wheel Ratchet Non Vented Helmet |
| 9013120 | S03ERRF | 1125 Full Peak Red Wheel Ratchet Vented Euro Helmet |
| 9013226 | S03CWA | 1125 Full Peak White Slip Ratchet Non Vented Combi Helmet |
| 9013253 | S03CWG | 1125 Full Peak White Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013089 | S03EWF | 1125 Full Peak White Slip Ratchet Vented Euro Helmet |
| 9013262 | S03CWR | 1125 Full Peak White Wheel Ratchet Non Vented Helmet |
| 9013121 | S03EWRF | 1125 Full Peak White Wheel Ratchet Vented Euro Helmet |
| 9013227 | S03CYA | 1125 Full Peak Yellow Slip Ratchet Non Vented Combi Helmet |
| 9013254 | S03CYG | 1125 Full Peak Yellow Slip Ratchet Non Vented with 2 pt Chinstrap Helmet |
| 9013090 | S03EYF | 1125 Full Peak Yellow Slip Ratchet Vented Euro Helmet |
| 9013263 | S03CYR | 1125 Full Peak Yellow Wheel Ratchet Non Vented Helmet |
| 9013122 | S03EYRF | 1125 Full Peak Yellow Wheel Ratchet Vented Euro Helmet |
| 9013291 | S17BA | 1125 Reduced Peak Blue Slip Ratchet Non Vented Connect Helmet |
| 9013292 | S17GA | 1125 Reduced Peak Green Slip Ratchet Non Vented Connect Helmet |
| 9013293 | S17OA | 1125 Reduced Peak Orange Slip Ratchet Non Vented Connect Helmet |
| 9013294 | S17RA | 1125 Reduced Peak Red Slip Ratchet Non Vented Connect Helmet |
| 9013295 | S17WA | 1125 Reduced Peak White Slip Ratchet Non Vented Connect Helmet |
| 9013296 | S17YA | 1125 Reduced Peak Yellow Slip Ratchet Non Vented Connect Helmet |

CONCEPT CORE HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9000481 | S09CKA | Concept Core Full Peak Black Slip Ratchet Non Vented Helmet |
| 9000511 | S09CKCBH | Concept Core Full Peak Black Slip Ratchet Non Vented with Badge Holder Helmet |
| 9000721 | S09CKF | Concept Core Full Peak Black Slip Ratchet Vented Helmet |
| 9000751 | S09CKFCBH | Concept Core Full Peak Black Slip Ratchet Vented with Badge Holder Helmet |
| 9000482 | S09CKR | Concept Core Full Peak Black Wheel Ratchet Non Vented Helmet |
| 9000512 | S09CKRCBH | Concept Core Full Peak Black Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9000722 | S09CKRF | Concept Core Full Peak Black Wheel Ratchet Vented Helmet |
| 9000752 | S09CKRFCBH | Concept Core Full Peak Black Wheel Ratchet Vented with Badge Holder Helmet |
| 9000961 | S09CBA | Concept Core Full Peak Blue Slip Ratchet Non Vented Helmet |
| 9000991 | S09CBCBH | Concept Core Full Peak Blue Slip Ratchet Non Vented with Badge Holder Helmet |
| 9001201 | S09CBF | Concept Core Full Peak Blue Slip Ratchet Vented Helmet |
| 9001231 | S09CBFCBH | Concept Core Full Peak Blue Slip Ratchet Vented with Badge Holder Helmet |
| 9000962 | S09CBR | Concept Core Full Peak Blue Wheel Ratchet Non Vented Helmet |
| 9000992 | S09CBRCBH | Concept Core Full Peak Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9001202 | S09CBRF | Concept Core Full Peak Blue Wheel Ratchet Vented Helmet |
| 9001232 | S09CBRFCBH | Concept Core Full Peak Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9004801 | S09CHVOA | Concept Core Full Peak Bright Orange Slip Ratchet Non Vented Helmet |
| 9004831 | S09CHVOCBH | Concept Core Full Peak Bright Orange Slip Ratchet Non Vented with Badge Holder Helmet |
| 9005041 | S09CHVOF | Concept Core Full Peak Bright Orange Slip Ratchet Vented Helmet |
| 9005071 | S09CHVOFCBH | Concept Core Full Peak Bright Orange Slip Ratchet Vented with Badge Holder Helmet |
| 9004802 | S09CHVOR | Concept Core Full Peak Bright Orange Wheel Ratchet Non Vented Helmet |
| 9004832 | S09CHVORCBH | Concept Core Full Peak Bright Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9005042 | S09CHVORF | Concept Core Full Peak Bright Orange Wheel Ratchet Vented Helmet |
| 9005072 | S09CHVORFCBH | Concept Core Full Peak Bright Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9006721 | S09CHVYA | Concept Core Full Peak Bright Yellow Slip Ratchet Non Vented Helmet |
| 9006751 | S09CHVYCBH | Concept Core Full Peak Bright Yellow Slip Ratchet Non Vented with Badge Holder Helmet |
| 9006961 | S09CHVYF | Concept Core Full Peak Bright Yellow Slip Ratchet Vented Helmet |
| 9006991 | S09CHVYFCBH | Concept Core Full Peak Bright Yellow Slip Ratchet Vented with Badge Holder Helmet |
| 9006722 | S09CHVYR | Concept Core Full Peak Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9006752 | S09CHVYRCBH | Concept Core Full Peak Bright Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9006962 | S09CHVYRF | Concept Core Full Peak Bright Yellow Wheel Ratchet Vented Helmet |
| 9006992 | S09CHVYRFCBH | Concept Core Full Peak Bright Yellow Wheel Ratchet Vented with Badge Holder Helmet |
| 9001441 | S09CGA | Concept Core Full Peak Green Slip Ratchet Non Vented Helmet |
| 9001471 | S09CGCBH | Concept Core Full Peak Green Slip Ratchet Non Vented with Badge Holder Helmet |
| 9001681 | S09CGF | Concept Core Full Peak Green Slip Ratchet Vented Helmet |
| 9001711 | S09CGFCBH | Concept Core Full Peak Green Slip Ratchet Vented with Badge Holder Helmet |
| 9001442 | S09CGR | Concept Core Full Peak Green Wheel Ratchet Non Vented Helmet |
| 9001472 | S09CGRCBH | Concept Core Full Peak Green Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9001682 | S09CGRF | Concept Core Full Peak Green Wheel Ratchet Vented Helmet |

CONCEPT CORE HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9001712 | S09CGRFCBH | Concept Core Full Peak Green Wheel Ratchet Vented with Badge Holder Helmet |
| 9001921 | S09CEA | Concept Core Full Peak Gray Slip Ratchet Non Vented Helmet |
| 9002161 | S09CEF | Concept Core Full Peak Gray Slip Ratchet Vented Helmet |
| 9002162 | S09CERF | Concept Core Full Peak Gray Wheel Ratchet Vented Helmet |
| 9002401 | S09CLBA | Concept Core Full Peak Light Blue Slip Ratchet Non Vented Helmet |
| 9002431 | S09CLBCBH | Concept Core Full Peak Light Blue Slip Ratchet Non Vented with Badge Holder Helmet |
| 9002641 | S09CLBF | Concept Core Full Peak Light Blue Slip Ratchet Vented Helmet |
| 9002671 | S09CLBFCBH | Concept Core Full Peak Light Blue Slip Ratchet Vented with Badge Holder Helmet |
| 9002402 | S09CLBR | Concept Core Full Peak Light Blue Wheel Ratchet Non Vented Helmet |
| 9002432 | S09CLBRCBH | Concept Core Full Peak Light Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9002642 | S09CLBRF | Concept Core Full Peak Light Blue Wheel Ratchet Vented Helmet |
| 9002672 | S09CLBRFCBH | Concept Core Full Peak Light Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9003361 | S09COA | Concept Core Full Peak Orange Slip Ratchet Non Vented Helmet |
| 9003391 | S09COCBH | Concept Core Full Peak Orange Slip Ratchet Non Vented with Badge Holder Helmet |
| 9003601 | S09COF | Concept Core Full Peak Orange Slip Ratchet Vented Helmet |
| 9003631 | S09COFCBH | Concept Core Full Peak Orange Slip Ratchet Vented with Badge Holder Helmet |
| 9003362 | S09COR | Concept Core Full Peak Orange Wheel Ratchet Non Vented Helmet |
| 9003392 | S09CORCBH | Concept Core Full Peak Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9003602 | S09CORF | Concept Core Full Peak Orange Wheel Ratchet Vented Helmet |
| 9003632 | S09CORFCBH | Concept Core Full Peak Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9005281 | S09CRA | Concept Core Full Peak Red Slip Ratchet Non Vented Helmet |
| 9005311 | S09CRCBH | Concept Core Full Peak Red Slip Ratchet Non Vented with Badge Holder Helmet |
| 9005521 | S09CRF | Concept Core Full Peak Red Slip Ratchet Vented Helmet |
| 9005551 | S09CRFCBH | Concept Core Full Peak Red Slip Ratchet Vented with Badge Holder Helmet |
| 9005282 | S09CRR | Concept Core Full Peak Red Wheel Ratchet Non Vented Helmet |
| 9005312 | S09CRRCBH | Concept Core Full Peak Red Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9005522 | S09CRRF | Concept Core Full Peak Red Wheel Ratchet Vented Helmet |
| 9005552 | S09CRRFCBH | Concept Core Full Peak Red Wheel Ratchet Vented with Badge Holder Helmet |
| 9005761 | S09CWA | Concept Core Full Peak White Slip Ratchet Non Vented Helmet |
| 9005791 | S09CWCBH | Concept Core Full Peak White Slip Ratchet Non Vented with Badge Holder Helmet |
| 9006001 | S09CWF | Concept Core Full Peak White Slip Ratchet Vented Helmet |
| 9006031 | S09CWFCBH | Concept Core Full Peak White Slip Ratchet Vented with Badge Holder Helmet |
| 9005762 | S09CWR | Concept Core Full Peak White Wheel Ratchet Non Vented Helmet |
| 9005792 | S09CWRCBH | Concept Core Full Peak White Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9006002 | S09CWRF | Concept Core Full Peak White Wheel Ratchet Vented Helmet |
| 9006032 | S09CWRFCBH | Concept Core Full Peak White Wheel Ratchet Vented with Badge Holder Helmet |
| 9006241 | S09CYA | Concept Core Full Peak Yellow Slip Ratchet Non Vented Helmet |
| 9006271 | S09CYCBH | Concept Core Full Peak Yellow Slip Ratchet Non Vented with Badge Holder Helmet |
| 9006481 | S09CYF | Concept Core Full Peak Yellow Slip Ratchet Vented Helmet |
| 9006511 | S09CYFCBH | Concept Core Full Peak Yellow Slip Ratchet Vented with Badge Holder Helmet |
| 9006242 | S09CYR | Concept Core Full Peak Yellow Wheel Ratchet Non Vented Helmet |
| 9006272 | S09CYRCBH | Concept Core Full Peak Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |

CONCEPT CORE HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9006482 | S09CYRF | Concept Core Full Peak Yellow Wheel Ratchet Vented Helmet |
| 9006512 | S09CYRFCBH | Concept Core Full Peak Yellow Wheel Ratchet Vented with Badge Holder Helmet |
| 9008195 | S08CKA | Concept Core Reduced Peak Black Slip Ratchet Non Vented Helmet |
| 9008219 | S08CKCBH | Concept Core Reduced Peak Black Slip Ratchet Non Vented with Badge Holder Helmet |
| 9010704 | S08CKF | Concept Core Reduced Peak Black Slip Ratchet Vented Helmet |
| 9010728 | S08CKFCBH | Concept Core Reduced Peak Black Slip Ratchet Vented with Badge Holder Helmet |
| 9008194 | S08CKR | Concept Core Reduced Peak Black Wheel Ratchet Non Vented Helmet |
| 9008220 | S08CKRCBH | Concept Core Reduced Peak Black Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9010703 | S08CKRF | Concept Core Reduced Peak Black Wheel Ratchet Vented Helmet |
| 9010729 | S08CKRFCBH | Concept Core Reduced Peak Black Wheel Ratchet Vented with Badge Holder Helmet |
| 9008388 | S08CBA | Concept Core Reduced Peak Blue Slip Ratchet Non Vented Helmet |
| 9008412 | S08CBCBH | Concept Core Reduced Peak Blue Slip Ratchet Non Vented with Badge Holder Helmet |
| 9010897 | S08CBF | Concept Core Reduced Peak Blue Slip Ratchet Vented Helmet |
| 9010921 | S08CBFCBH | Concept Core Reduced Peak Blue Slip Ratchet Vented with Badge Holder Helmet |
| 9008387 | S08CBR | Concept Core Reduced Peak Blue Wheel Ratchet Non Vented Helmet |
| 9008413 | S08CBRCBH | Concept Core Reduced Peak Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9010896 | S08CBRF | Concept Core Reduced Peak Blue Wheel Ratchet Vented Helmet |
| 9010922 | S08CBRFCBH | Concept Core Reduced Peak Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9009546 | S08CHVOA | Concept Core Reduced Peak Bright Orange Slip Ratchet Non Vented Helmet |
| 9009570 | S08CHVOCBH | Concept Core Reduced Peak Bright Orange Slip Ratchet Non Vented with Badge Holder Helmet |
| 9012055 | S08CHVOF | Concept Core Reduced Peak Bright Orange Slip Ratchet Vented Helmet |
| 9012079 | S08CHVOFCBH | Concept Core Reduced Peak Bright Orange Slip Ratchet Vented with Badge Holder Helmet |
| 9009545 | S08CHVOR | Concept Core Reduced Peak Bright Orange Wheel Ratchet Non Vented Helmet |
| 9009571 | S08CHVORCBH | Concept Core Reduced Peak Bright Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9012054 | S08CHVORF | Concept Core Reduced Peak Bright Orange Wheel Ratchet Vented Helmet |
| 9012080 | S08CHVORFCBH | Concept Core Reduced Peak Bright Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9010318 | S08CHVYA | Concept Core Reduced Peak Bright Yellow Slip Ratchet Non Vented Helmet |
| 9010342 | S08CHVYCBH | Concept Core Reduced Peak Bright Yellow Slip Ratchet Non Vented with Badge Holder Helmet |
| 9012827 | S08CHVYF | Concept Core Reduced Peak Bright Yellow Slip Ratchet Vented Helmet |
| 9012853 | S08CHVYFCBH | Concept Core Reduced Peak Bright Yellow Slip Ratchet Vented with Badge Holder Helmet |
| 9010317 | S08CHVYR | Concept Core Reduced Peak Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9010343 | S08CHVYRCBH | Concept Core Reduced Peak Bright Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9012826 | S08CHVYRF | Concept Core Reduced Peak Bright Yellow Wheel Ratchet Vented Helmet |
| 9012852 | S08CHVYRFCBH | Concept Core Reduced Peak Bright Yellow Wheel Ratchet Vented with Badge Holder Helmet |
| 9008581 | S08CGA | Concept Core Reduced Peak Green Slip Ratchet Non Vented Helmet |
| 9008605 | S08CGCBH | Concept Core Reduced Peak Green Slip Ratchet Non Vented with Badge Holder Helmet |

CONCEPT CORE HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9011090 | S08CGF | Concept Core Reduced Peak Green Slip Ratchet Vented Helmet |
| 9011114 | S08CGFCBH | Concept Core Reduced Peak Green Slip Ratchet Vented with Badge Holder Helmet |
| 9008580 | S08CGR | Concept Core Reduced Peak Green Wheel Ratchet Non Vented Helmet |
| 9008606 | S08CGRCBH | Concept Core Reduced Peak Green Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9011089 | S08CGRF | Concept Core Reduced Peak Green Wheel Ratchet Vented Helmet |
| 9011115 | S08CGRFCBH | Concept Core Reduced Peak Green Wheel Ratchet Vented with Badge Holder Helmet |
| 9011283 | S08CEF | Concept Core Reduced Peak Gray Slip Ratchet Vented Helmet |
| 9008799 | S08CERCBH | Concept Core Reduced Peak Gray Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9008967 | S08CLBA | Concept Core Reduced Peak Light Blue Slip Ratchet Non Vented Helmet |
| 9008991 | S08CLBCBH | Concept Core Reduced Peak Light Blue Slip Ratchet Non Vented with Badge Holder Helmet |
| 9011476 | S08CLBF | Concept Core Reduced Peak Light Blue Slip Ratchet Vented Helmet |
| 9011500 | S08CLBFCBH | Concept Core Reduced Peak Light Blue Slip Ratchet Vented with Badge Holder Helmet |
| 9008966 | S08CLBR | Concept Core Reduced Peak Light Blue Wheel Ratchet Non Vented Helmet |
| 9008992 | S08CLBRCBH | Concept Core Reduced Peak Light Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9011475 | S08CLBRF | Concept Core Reduced Peak Light Blue Wheel Ratchet Vented Helmet |
| 9011501 | S08CLBRFCBH | Concept Core Reduced Peak Light Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9009353 | S08COA | Concept Core Reduced Peak Orange Slip Ratchet Non Vented Helmet |
| 9009377 | S08COCBH | Concept Core Reduced Peak Orange Slip Ratchet Non Vented with Badge Holder Helmet |
| 9011862 | S08COF | Concept Core Reduced Peak Orange Slip Ratchet Vented Helmet |
| 9011886 | S08COFCBH | Concept Core Reduced Peak Orange Slip Ratchet Vented with Badge Holder Helmet |
| 9009352 | S08COR | Concept Core Reduced Peak Orange Wheel Ratchet Non Vented Helmet |
| 9009378 | S08CORCBH | Concept Core Reduced Peak Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9011861 | S08CORF | Concept Core Reduced Peak Orange Wheel Ratchet Vented Helmet |
| 9011887 | S08CORFCBH | Concept Core Reduced Peak Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9009739 | S08CRA | Concept Core Reduced Peak Red Slip Ratchet Non Vented Helmet |
| 9009763 | S08CRCBH | Concept Core Reduced Peak Red Slip Ratchet Non Vented with Badge Holder Helmet |
| 9012248 | S08CRF | Concept Core Reduced Peak Red Slip Ratchet Vented Helmet |
| 9012272 | S08CRFCBH | Concept Core Reduced Peak Red Slip Ratchet Vented with Badge Holder Helmet |
| 9009738 | S08CRR | Concept Core Reduced Peak Red Wheel Ratchet Non Vented Helmet |
| 9009764 | S08CRRCBH | Concept Core Reduced Peak Red Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9012247 | S08CRRF | Concept Core Reduced Peak Red Wheel Ratchet Vented Helmet |
| 9009932 | S08CWA | Concept Core Reduced Peak White Slip Ratchet Non Vented Helmet |
| 9009956 | S08CWCBH | Concept Core Reduced Peak White Slip Ratchet Non Vented with Badge Holder Helmet |
| 9012441 | S08CWF | Concept Core Reduced Peak White Slip Ratchet Vented Helmet |
| 9012465 | S08CWFCBH | Concept Core Reduced Peak White Slip Ratchet Vented with Badge Holder Helmet |
| 9009931 | S08CWR | Concept Core Reduced Peak White Wheel Ratchet Non Vented Helmet |
| 9009957 | S08CWRCBH | Concept Core Reduced Peak White Wheel Ratchet Non Vented with Badge Holder Helmet |

CONCEPT CORE HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9012440 | S08CWRF | Concept Core Reduced Peak White Wheel Ratchet Vented Helmet |
| 9012466 | S08CWRF CBH | Concept Core Reduced Peak White Wheel Ratchet Vented with Badge Holder Helmet |
| 9010125 | S08CYA | Concept Core Reduced Peak Yellow Slip Ratchet Non Vented Helmet |
| 9012634 | S08CYF | Concept Core Reduced Peak Yellow Slip Ratchet Vented Helmet |
| 9012658 | S08CYFCBH | Concept Core Reduced Peak Yellow Slip Ratchet Vented with Badge Holder Helmet |
| 9010149 | S08CYCBH | Concept Core Reduced Peak Yellow Slip Ratchet with Non Vented Badge Holder Helmet |
| 9010124 | S08CYR | Concept Core Reduced Peak Yellow Wheel Ratchet Non Vented Helmet |
| 9010150 | S08CYRCBH | Concept Core Reduced Peak Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9012633 | S08CYRF | Concept Core Reduced Peak Yellow Wheel Ratchet Vented Helmet |
| 9012659 | S08CYRFCBH | Concept Core Reduced Peak Yellow Wheel Ratchet Vented with Badge Holder Helmet |

CONCEPT SECUREPLUS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9008211 | S08CKL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Black Slip Ratchet Non Vented Helmet |
| 9010720 | S08CKLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Black Slip Ratchet Vented Helmet |
| 9008212 | S08CKRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Black Wheel Ratchet Non Vented Helmet |
| 9010721 | S08CKRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Black Wheel Ratchet Vented Helmet |
| 9008404 | S08CBL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Blue Slip Ratchet Non Vented Helmet |
| 9010913 | S08CBLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Blue Slip Ratchet Vented Helmet |
| 9008405 | S08CBRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Blue Wheel Ratchet Non Vented Helmet |
| 9010914 | S08CBRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Blue Wheel Ratchet Vented Helmet |
| 9009562 | S08CHVOL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Orange Slip Ratchet Non Vented Helmet |
| 9012071 | S08CHVOLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Orange Slip Ratchet Vented Helmet |
| 9009563 | S08CHVORL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Orange Wheel Ratchet Non Vented Helmet |
| 9012072 | S08CHVORLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Orange Wheel Ratchet Vented Helmet |
| 9010334 | S08CHVYL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Yellow Slip Ratchet Non Vented Helmet |
| 9012843 | S08CHVYLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Yellow Slip Ratchet Vented Helmet |
| 9010335 | S08CHVYRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9012844 | S08CHVYRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Bright Yellow Wheel Ratchet Vented Helmet |

CONCEPT SECUREPLUS HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9008597 | S08CGL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Green Slip Ratchet Non Vented Helmet |
| 9011106 | S08CGLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Green Slip Ratchet Vented Helmet |
| 9008598 | S08CGRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Green Wheel Ratchet Non Vented Helmet |
| 9011107 | S08CGRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Green Wheel Ratchet Vented Helmet |
| 9008983 | S08CLBL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Light Blue Slip Ratchet Non Vented Helmet |
| 9011492 | S08CLBLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Light Blue Slip Ratchet Vented Helmet |
| 9008984 | S08CLBRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Light Blue Wheel Ratchet Non Vented Helmet |
| 9011493 | S08CLBRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Light Blue Wheel Ratchet Vented Helmet |
| 9009369 | S08COL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Orange Slip Ratchet Non Vented Helmet |
| 9011878 | S08COLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Orange Slip Ratchet Vented Helmet |
| 9009370 | S08CORL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Orange Wheel Ratchet Non Vented Helmet |
| 9011879 | S08CORLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Orange Wheel Ratchet Vented Helmet |
| 9009755 | S08CRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Red Slip Ratchet Non Vented Helmet |
| 9012264 | S08CRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Red Slip Ratchet Vented Helmet |
| 9009756 | S08CRRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Red Wheel Ratchet Non Vented Helmet |
| 9012265 | S08CRRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Red Wheel Ratchet Vented Helmet |
| 9009948 | S08CWL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak White Slip Ratchet Non Vented Helmet |
| 9012457 | S08CWLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak White Slip Ratchet Vented Helmet |
| 9009949 | S08CWRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak White Wheel Ratchet Non Vented Helmet |
| 9012458 | S08CWRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak White Wheel Ratchet Vented Helmet |
| 9010141 | S08CYL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Yellow Slip Ratchet Non Vented Helmet |
| 9012650 | S08CYLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Yellow Slip Ratchet Vented Helmet |
| 9010142 | S08CYRL | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Yellow Wheel Ratchet Non Vented Helmet |
| 9012651 | S08CYRLF | Concept SecurePlus (4 pt Chinstrap) Reduced Peak Yellow Wheel Ratchet Vented Helmet |

HIGH HEAT HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034216 | S22WR | Vulcan High Heat White Wheel Ratchet Helmet |
| 9034215 | S22WA | Vulcan High Heat White Slip Ratchet Helmet |
| 9032975 | S22PLUSWR | Nexus High Heat White Wheel Ratchet Helmet |

NEXUS CORE HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9015835 | S16EKF | Nexus Core Black Slip Ratchet Vented Helmet |
| 9014985 | S16EKR | Nexus Core Black Wheel Ratchet Non Vented Helmet |
| 9015825 | S16EKRF | Nexus Core Black Wheel Ratchet Vented Helmet |
| 9014996 | S16EBA | Nexus Core Blue Slip Ratchet Non Vented Helmet |
| 9015836 | S16EBF | Nexus Core Blue Slip Ratchet Vented Helmet |
| 9014986 | S16EBR | Nexus Core Blue Wheel Ratchet Non Vented Helmet |
| 9015826 | S16EBRF | Nexus Core Blue Wheel Ratchet Vented Helmet |
| 9015000 | S16EHVOA | Nexus Core Bright Orange Slip Ratchet Non Vented Helmet |
| 9015840 | S16EHVOF | Nexus Core Bright Orange Slip Ratchet Vented Helmet |
| 9014990 | S16EHVOR | Nexus Core Bright Orange Wheel Ratchet Non Vented Helmet |
| 9015830 | S16EHVORF | Nexus Core Bright Orange Wheel Ratchet Vented Helmet |
| 9015004 | S16EHVYA | Nexus Core Bright Yellow Slip Ratchet Non Vented Helmet |
| 9015844 | S16EHVYF | Nexus Core Bright Yellow Slip Ratchet Vented Helmet |
| 9014994 | S16EHVYR | Nexus Core Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9015834 | S16EHVYRF | Nexus Core Bright Yellow Wheel Ratchet Vented Helmet |
| 9014997 | S16EGA | Nexus Core Green Slip Ratchet Non Vented Helmet |
| 9015837 | S16EGF | Nexus Core Green Slip Ratchet Vented Helmet |
| 9014987 | S16EGR | Nexus Core Green Wheel Ratchet Non Vented Helmet |
| 9015827 | S16EGRF | Nexus Core Green Wheel Ratchet Vented Helmet |
| 9014998 | S16ELBA | Nexus Core Light Blue Slip Ratchet Non Vented Helmet |
| 9015838 | S16ELBF | Nexus Core Light Blue Slip Ratchet Vented Helmet |
| 9014988 | S16ELBR | Nexus Core Light Blue Wheel Ratchet Non Vented Helmet |
| 9015828 | S16ELBRF | Nexus Core Light Blue Wheel Ratchet Vented Helmet |
| 9014999 | S16EOA | Nexus Core Orange Slip Ratchet Non Vented Helmet |
| 9015839 | S16EOF | Nexus Core Orange Slip Ratchet Vented Helmet |
| 9014989 | S16EOR | Nexus Core Orange Wheel Ratchet Non Vented Helmet |
| 9015829 | S16EORF | Nexus Core Orange Wheel Ratchet Vented Helmet |
| 9015001 | S16ERA | Nexus Core Red Slip Ratchet Non Vented Helmet |
| 9015841 | S16ERF | Nexus Core Red Slip Ratchet Vented Helmet |
| 9014991 | S16ERR | Nexus Core Red Wheel Ratchet Non Vented Helmet |
| 9015831 | S16ERRF | Nexus Core Red Wheel Ratchet Vented Helmet |
| 9015002 | S16EWA | Nexus Core White Slip Ratchet Non Vented Helmet |
| 9015842 | S16EWF | Nexus Core White Slip Ratchet Vented Helmet |
| 9014992 | S16EWR | Nexus Core White Wheel Ratchet Non Vented Helmet |
| 9015832 | S16EWRF | Nexus Core White Wheel Ratchet Vented Helmet |
| 9015003 | S16EYA | Nexus Core Yellow Slip Ratchet Non Vented Helmet |
| 9015843 | S16EYF | Nexus Core Yellow Slip Ratchet Vented Helmet |
| 9014993 | S16EYR | Nexus Core Yellow Wheel Ratchet Non Vented Helmet |
| 9015833 | S16EYRF | Nexus Core Yellow Wheel Ratchet Vented Helmet |

NEXUS EXCEED MIPS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9946748 | S16EBRLMIPS | Nexus Exceed Mips Blue Wheel Ratchet Non Vented Helmet |
| 9946749 | S16EGRLMIPS | Nexus Exceed Mips Green Wheel Ratchet Non Vented Helmet |
| 9946752 | S16HVORLMIPS | Nexus Exceed Mips Bright Orange Wheel Ratchet Non Vented Helmet |
| 9946755 | S16HVYRLMIPS | Nexus Exceed Mips Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9946747 | S16EKRLMIPS | Nexus Exceed Mips Black Wheel Ratchet Non Vented Helmet |
| 9946750 | S16ELBRLMIPS | Nexus Exceed Mips Light Blue Wheel Ratchet Non Vented Helmet |
| 9946751 | S16EORLMIPS | Nexus Exceed Mips Orange Wheel Ratchet Non Vented Helmet |
| 9946753 | S16ERRLMIPS | Nexus Exceed Mips Red Wheel Ratchet Non Vented Helmet |
| 9946746 | S16EWRLMIPS | Nexus Exceed Mips White Wheel Ratchet Non Vented Helmet |
| 9946754 | S16YRLMIPS | Nexus Exceed Mips Yellow Wheel Ratchet Non Vented Helmet |
| 9946757 | S16EBRLFMIPS | Nexus Exceed Mips Blue Wheel Ratchet Vented Helmet |
| 9946758 | S16EGRLFMIPS | Nexus Exceed Mips Green Wheel Ratchet Vented Helmet |
| 9946761 | S16HVORLFMIPS | Nexus Exceed Mips Bright Orange Wheel Ratchet Vented Helmet |
| 9946765 | S16HVYRLFMIPS | Nexus Exceed Mips Bright Yellow Wheel Ratchet Vented Helmet |
| 9946756 | S16EKRLFMIPS | Nexus Exceed Mips Black Wheel Ratchet Vented Helmet |
| 9946759 | S16ELBRLFMIPS | Nexus Exceed Mips Light Blue Wheel Ratchet Vented Helmet |
| 9946760 | S16ORLFMIPS | Nexus Exceed Mips Orange Wheel Ratchet Vented Helmet |
| 9946762 | S16ERRLFMIPS | Nexus Exceed Mips Red Wheel Ratchet Vented Helmet |
| 9946763 | S16EWRLFMIPS | Nexus Exceed Mips White Wheel Ratchet Vented Helmet |
| 9946764 | S16EYRLFMIPS | Nexus Exceed Mips Yellow Wheel Ratchet Vented Helmet |

NEXUS EXTREME MIPS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9946549 | S16EBFMRMIPS | Nexus Extreme Mips Blue Wheel Ratchet Vented Helmet |
| 9946543 | S16EGFMRMIPS | Nexus Extreme Mips Green Wheel Ratchet Vented Helmet |
| 9946546 | S16EHVOFMRMIPS | Nexus Extreme Mips Bright Orange Wheel Ratchet Vented Helmet |
| 9946548 | S16EHVYFMRMIPS | Nexus Extreme Mips Bright Yellow Wheel Ratchet Vented Helmet |
| 9946542 | S16EKFMRMIPS | Nexus Extreme Mips Black Wheel Ratchet Vented Helmet |
| 9946550 | S16ELBFMRMIPS | Nexus Extreme Mips Light Blue Wheel Ratchet Vented Helmet |
| 9946545 | S16OFMRMIPS | Nexus Extreme Mips Orange Wheel Ratchet Vented Helmet |
| 9946544 | S16ERFMRMIPS | Nexus Extreme Mips Red Wheel Ratchet Vented Helmet |
| 9946541 | S16EWFMRMIPS | Nexus Extreme Mips White Wheel Ratchet Vented Helmet |
| 9946547 | S16EYFMRMIPS | Nexus Extreme Mips Yellow Wheel Ratchet Vented Helmet |

NEXUS HEIGHTMASTER HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9016665 | S16EKFMR | Nexus HeightMaster Black Wheel Ratchet Vented Helmet |
| 9016725 | S16EKFMR589 | Nexus HeightMaster Black Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016666 | S16EBFMR | Nexus HeightMaster Blue Wheel Ratchet Vented Helmet |
| 9016726 | S16EBFMR589 | Nexus HeightMaster Blue Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016670 | S16EHVOFMR | Nexus HeightMaster Bright Orange Wheel Ratchet Vented Helmet |
| 9016730 | S16EHVOFMR589 | Nexus HeightMaster Bright Orange Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016674 | S16EHVYFMR | Nexus HeightMaster Bright Yellow Wheel Ratchet Vented Helmet |
| 9016734 | S16EHVYFMR589 | Nexus HeightMaster Bright Yellow Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016667 | S16EGFMR | Nexus HeightMaster Green Wheel Ratchet Vented Helmet |
| 9016727 | S16EGFMR589 | Nexus HeightMaster Green Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016668 | S16ELBFMR | Nexus HeightMaster Light Blue Wheel Ratchet Vented Helmet |
| 9016728 | S16ELBFMR589 | Nexus HeightMaster Light Blue Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016669 | S16EOFMR | Nexus HeightMaster Orange Wheel Ratchet Vented Helmet |
| 9016729 | S16EOFMR589 | Nexus HeightMaster Orange Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016671 | S16ERFMR | Nexus HeightMaster Red Wheel Ratchet Vented Helmet |
| 9016731 | S16ERFMR589 | Nexus HeightMaster Red Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016672 | S16WFMFMR | Nexus HeightMaster White Wheel Ratchet Vented Helmet |
| 9016732 | S16WFMFMR589 | Nexus HeightMaster White Wheel Ratchet Vented with Nexus Eyeshield Helmet |
| 9016673 | S16EYFMR | Nexus HeightMaster Yellow Wheel Ratchet Vented Helmet |
| 9016733 | S16EYFMR589 | Nexus HeightMaster Yellow Wheel Ratchet Vented with Nexus Eyeshield Helmet |

NEXUS SECUREPLUS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9015015 | S16EKL | Nexus SecurePlus (4 pt Chinstrap) Black Slip Ratchet Non Vented Helmet |
| 9015855 | S16EKLF | Nexus SecurePlus (4 pt Chinstrap) Black Slip Ratchet Vented Helmet |
| 9015005 | S16EKRL | Nexus SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Non Vented Helmet |
| 9015845 | S16EKRLF | Nexus SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Vented Helmet |
| 9015016 | S16EBL | Nexus SecurePlus (4 pt Chinstrap) Blue Slip Ratchet Non Vented Helmet |
| 9015856 | S16EBLF | Nexus SecurePlus (4 pt Chinstrap) Blue Slip Ratchet Vented Helmet |
| 9015006 | S16EBRL | Nexus SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Non Vented Helmet |
| 9015846 | S16EBRLF | Nexus SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Vented Helmet |
| 9015966 | S16EBRLFNS | Nexus SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015900 | S16EHVOLF | Nexus SecurePlus (4 pt Chinstrap) Bright Orange Slip Ratchet Vented Helmet |
| 9015010 | S16EHVORL | Nexus SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Non Vented Helmet |
| 9015850 | S16EHVORLF | Nexus SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Vented Helmet |
| 9015970 | S16EHVORLFNS | Nexus SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015024 | S16EHVYL | Nexus SecurePlus (4 pt Chinstrap) Bright Yellow Slip Ratchet Non Vented Helmet |
| 9015864 | S16EHVYLF | Nexus SecurePlus (4 pt Chinstrap) Bright Yellow Slip Ratchet Vented Helmet |

NEXUS SECUREPLUS HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9015014 | S16EHVYRL | Nexus SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9015854 | S16EHVYRLF | Nexus SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Vented Helmet |
| 9015974 | S16EHVYRLFNS | Nexus SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015017 | S16EGL | Nexus SecurePlus (4 pt Chinstrap) Green Slip Ratchet Non Vented Helmet |
| 9015857 | S16EGLF | Nexus SecurePlus (4 pt Chinstrap) Green Slip Ratchet Vented Helmet |
| 9015007 | S16EGRL | Nexus SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Non Vented Helmet |
| 9015847 | S16EGRLF | Nexus SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Vented Helmet |
| 9015967 | S16EGRLFNS | Nexus SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9947324 | S16EELF | Nexus SecurePlus (4 pt Chinstrap) Gray Slip Ratchet Vented Helmet |
| 9946802 | S16EERLF | Nexus SecurePlus (4 pt Chinstrap) Gray Wheel Ratchet Vented Helmet |
| 9015858 | S16ELBLF | Nexus SecurePlus (4 pt Chinstrap) Light Blue Slip Ratchet Vented Helmet |
| 9015008 | S16ELBRL | Nexus SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Non Vented Helmet |
| 9015848 | S16ELBRLF | Nexus SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Vented Helmet |
| 9015968 | S16ELBRLFNS | Nexus SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015019 | S16EOL | Nexus SecurePlus (4 pt Chinstrap) Orange Slip Ratchet Non Vented Helmet |
| 9015859 | S16EOLF | Nexus SecurePlus (4 pt Chinstrap) Orange Slip Ratchet Vented Helmet |
| 9015009 | S16EORL | Nexus SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Non Vented Helmet |
| 9015849 | S16EORLF | Nexus SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Vented Helmet |
| 9015969 | S16EORLFNS | Nexus SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015021 | S16ERL | Nexus SecurePlus (4 pt Chinstrap) Red Slip Ratchet Non Vented Helmet |
| 9015861 | S16ERLF | Nexus SecurePlus (4 pt Chinstrap) Red Slip Ratchet Vented Helmet |
| 9015011 | S16ERRL | Nexus SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Non Vented Helmet |
| 9015851 | S16ERRLF | Nexus SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Vented Helmet |
| 9015971 | S16ERRLFNS | Nexus SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015022 | S16EWL | Nexus SecurePlus (4 pt Chinstrap) White Slip Ratchet Non Vented Helmet |
| 9015862 | S16EWLF | Nexus SecurePlus (4 pt Chinstrap) White Slip Ratchet Vented Helmet |
| 9015012 | S16EWRL | Nexus SecurePlus (4 pt Chinstrap) White Wheel Ratchet Non Vented Helmet |
| 9015852 | S16EWRLF | Nexus SecurePlus (4 pt Chinstrap) White Wheel Ratchet Vented Helmet |
| 9015972 | S16EWRLFNS | Nexus SecurePlus (4 pt Chinstrap) White Wheel Ratchet Vented with Silver HIRS stickers Helmet |
| 9015023 | S16EYL | Nexus SecurePlus (4 pt Chinstrap) Yellow Slip Ratchet Non Vented Helmet |
| 9015863 | S16EYLF | Nexus SecurePlus (4 pt Chinstrap) Yellow Slip Ratchet Vented Helmet |
| 9015013 | S16EYRL | Nexus SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Non Vented Helmet |
| 9015853 | S16EYRLF | Nexus SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Vented Helmet |
| 9015973 | S16EYRLFNS | Nexus SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Vented with Silver HIRS stickers Helmet |

REFLEX CORE HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9019128 | S12KHVOA | Reflex Black Bright Orange Slip Ratchet Vented Helmet |
| 9019161 | S12KHVOR | Reflex Black Bright Orange Wheel Ratchet Vented Helmet |
| 9019117 | S12KHVYA | Reflex Black Bright Yellow Slip Ratchet Vented Helmet |
| 9019150 | S12KHVYR | Reflex Black Bright Yellow Wheel Ratchet Vented Helmet |
| 9019139 | S12KSA | Reflex Black Silver Slip Ratchet Vented Helmet |
| 9019172 | S12KSR | Reflex Black Silver Wheel Ratchet Vented Helmet |
| 9019129 | S12BHVOA | Reflex Blue Bright Orange Slip Ratchet Vented Helmet |
| 9019162 | S12BHVOR | Reflex Blue Bright Orange Wheel Ratchet Vented Helmet |
| 9019118 | S12BHVYA | Reflex Blue Bright Yellow Slip Ratchet Vented Helmet |
| 9019151 | S12BHVYR | Reflex Blue Bright Yellow Wheel Ratchet Vented Helmet |
| 9019140 | S12BSA | Reflex Blue Silver Slip Ratchet Vented Helmet |
| 9019173 | S12BSR | Reflex Blue Silver Wheel Ratchet Vented Helmet |
| 9019134 | S12HVOHVOA | Reflex Bright Orange Bright Orange Slip Ratchet Vented Helmet |
| 9019167 | S12HVOHVOR | Reflex Bright Orange Bright Orange Wheel Ratchet Vented Helmet |
| 9019123 | S12HVOHVYA | Reflex Bright Orange Bright Yellow Slip Ratchet Vented Helmet |
| 9019156 | S12HVOHVYR | Reflex Bright Orange Bright Yellow Wheel Ratchet Vented Helmet |
| 9019145 | S12HVOSA | Reflex Bright Orange Silver Slip Ratchet Vented Helmet |
| 9019178 | S12HVOSR | Reflex Bright Orange Silver Wheel Ratchet Vented Helmet |
| 9019138 | S12HVYHVOA | Reflex Bright Yellow Bright Orange Slip Ratchet Vented Helmet |
| 9019171 | S12HVYHVOR | Reflex Bright Yellow Bright Orange Wheel Ratchet Vented Helmet |
| 9019127 | S12HVYHVYA | Reflex Bright Yellow Bright Yellow Slip Ratchet Vented Helmet |
| 9019160 | S12HVYHVYR | Reflex Bright Yellow Bright Yellow Wheel Ratchet Vented Helmet |
| 9019149 | S12HVYSA | Reflex Bright Yellow Silver Slip Ratchet Vented Helmet |
| 9019182 | S12HVYSR | Reflex Bright Yellow Silver Wheel Ratchet Vented Helmet |
| 9019130 | S12GHVOA | Reflex Green Bright Orange Slip Ratchet Vented Helmet |
| 9019163 | S12GHVOR | Reflex Green Bright Orange Wheel Ratchet Vented Helmet |
| 9019119 | S12GHVYA | Reflex Green Bright Yellow Slip Ratchet Vented Helmet |
| 9019152 | S12GHVYR | Reflex Green Bright Yellow Wheel Ratchet Vented Helmet |
| 9019141 | S12GSA | Reflex Green Silver Slip Ratchet Vented Helmet |
| 9019174 | S12GSR | Reflex Green Silver Wheel Ratchet Vented Helmet |
| 9019131 | S12EHVOA | Reflex Gray Bright Orange Slip Ratchet Vented Helmet |
| 9019164 | S12EHVOR | Reflex Gray Bright Orange Wheel Ratchet Vented Helmet |
| 9019120 | S12EHVYA | Reflex Gray Bright Yellow Slip Ratchet Vented Helmet |
| 9019153 | S12EHVYR | Reflex Gray Bright Yellow Wheel Ratchet Vented Helmet |
| 9019142 | S12ESA | Reflex Gray Silver Slip Ratchet Vented Helmet |
| 9019175 | S12ESR | Reflex Gray Silver Wheel Ratchet Vented Helmet |
| 9019132 | S12MBHVOA | Reflex Mid Blue Bright Orange Slip Ratchet Vented Helmet |
| 9019165 | S12MBHVOR | Reflex Mid Blue Bright Orange Wheel Ratchet Vented Helmet |
| 9019121 | S12MBHVYA | Reflex Mid Blue Bright Yellow Slip Ratchet Vented Helmet |
| 9019154 | S12MBHVYR | Reflex Mid Blue Bright Yellow Wheel Ratchet Vented Helmet |
| 9019143 | S12MBSA | Reflex Mid Blue Silver Slip Ratchet Vented Helmet |
| 9019176 | S12MBSR | Reflex Mid Blue Silver Wheel Ratchet Vented Helmet |

REFLEX CORE HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9019133 | S12OHVOA | Reflex Orange Bright Orange Slip Ratchet Vented Helmet |
| 9019166 | S12OHVOR | Reflex Orange Bright Orange Wheel Ratchet Vented Helmet |
| 9019122 | S12OHVYA | Reflex Orange Bright Yellow Slip Ratchet Vented Helmet |
| 9019155 | S12OHVYR | Reflex Orange Bright Yellow Wheel Ratchet Vented Helmet |
| 9019144 | S12OSA | Reflex Orange Silver Slip Ratchet Vented Helmet |
| 9019177 | S12OSR | Reflex Orange Silver Wheel Ratchet Vented Helmet |
| 9019135 | S12RHVOA | Reflex Red Bright Orange Slip Ratchet Vented Helmet |
| 9019168 | S12RHVOR | Reflex Red Bright Orange Wheel Ratchet Vented Helmet |
| 9019124 | S12RHVYA | Reflex Red Bright Yellow Slip Ratchet Vented Helmet |
| 9019157 | S12RHVYR | Reflex Red Bright Yellow Wheel Ratchet Vented Helmet |
| 9019146 | S12RSA | Reflex Red Silver Slip Ratchet Vented Helmet |
| 9019179 | S12RSR | Reflex Red Silver Wheel Ratchet Vented Helmet |
| 9019136 | S12WHVOA | Reflex White Bright Orange Slip Ratchet Vented Helmet |
| 9019169 | S12WHVOR | Reflex White Bright Orange Wheel Ratchet Vented Helmet |
| 9019125 | S12WHVYA | Reflex White Bright Yellow Slip Ratchet Vented Helmet |
| 9019158 | S12WHVYR | Reflex White Bright Yellow Wheel Ratchet Vented Helmet |
| 9019147 | S12WSA | Reflex White Silver Slip Ratchet Vented Helmet |
| 9019180 | S12WSR | Reflex White Silver Wheel Ratchet Vented Helmet |
| 9019137 | S12YHVOA | Reflex Yellow Bright Orange Slip Ratchet Vented Helmet |
| 9019170 | S12YHVOR | Reflex Yellow Bright Orange Wheel Ratchet Vented Helmet |
| 9019126 | S12YHVYA | Reflex Yellow Bright Yellow Slip Ratchet Vented Helmet |
| 9019159 | S12YHVYR | Reflex Yellow Bright Yellow Wheel Ratchet Vented Helmet |
| 9019148 | S12YSA | Reflex Yellow Silver Slip Ratchet Vented Helmet |
| 9019181 | S12YSR | Reflex Yellow Silver Wheel Ratchet Vented Helmet |

SPECTRUM CORE HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9018765 | S20KR | Spectrum Core Black Wheel Ratchet Non Vented Helmet |
| 9018769 | S20KR SBH | Spectrum Core Black Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018941 | S20KRF | Spectrum Core Black Wheel Ratchet Vented Helmet |
| 9018945 | S20KRFSBH | Spectrum Core Black Wheel Ratchet Vented with Badge Holder Helmet |
| 9018781 | S20BR | Spectrum Core Blue Wheel Ratchet Non Vented Helmet |
| 9018785 | S20BR SBH | Spectrum Core Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018957 | S20BRF | Spectrum Core Blue Wheel Ratchet Vented Helmet |
| 9018961 | S20BRFSBH | Spectrum Core Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9018861 | S20HVOR | Spectrum Core Bright Orange Wheel Ratchet Non Vented Helmet |
| 9018865 | S20HVOR SBH | Spectrum Core Bright Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019037 | S20HVORF | Spectrum Core Bright Orange Wheel Ratchet Vented Helmet |
| 9019041 | S20HVORFSBH | Spectrum Core Bright Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9018925 | S20HVYR | Spectrum Core Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9018929 | S20HVYR SBH | Spectrum Core Bright Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019101 | S20HVYRF | Spectrum Core Bright Yellow Wheel Ratchet Vented Helmet |
| 9019105 | S20HVYRFSBH | Spectrum Core Bright Yellow Wheel Ratchet Vented with Badge Holder Helmet |
| 9018797 | S20GR | Spectrum Core Green Wheel Ratchet Non Vented Helmet |
| 9018801 | S20GR SBH | Spectrum Core Green Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018973 | S20GRF | Spectrum Core Green Wheel Ratchet Vented Helmet |
| 9018977 | S20GRFSBH | Spectrum Core Green Wheel Ratchet Vented with Badge Holder Helmet |
| 9018813 | S20ER | Spectrum Core Gray Wheel Ratchet Non Vented Helmet |
| 9018993 | S20ERFSBH | Spectrum Core Gray Wheel Ratchet Vented with Badge Holder Helmet |
| 9018829 | S20LBR | Spectrum Core Light Blue Wheel Ratchet Non Vented Helmet |
| 9018833 | S20LBRSBH | Spectrum Core Light Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019005 | S20LBRF | Spectrum Core Light Blue Wheel Ratchet Vented Helmet |
| 9019009 | S20LBRFSBH | Spectrum Core Light Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9018845 | S20OR | Spectrum Core Orange Wheel Ratchet Non Vented Helmet |
| 9018849 | S20ORSBH | Spectrum Core Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019021 | S20ORF | Spectrum Core Orange Wheel Ratchet Vented Helmet |
| 9019025 | S20ORFSBH | Spectrum Core Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9018877 | S20RR | Spectrum Core Red Wheel Ratchet Non Vented Helmet |
| 9018881 | S20RR SBH | Spectrum Core Red Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019053 | S20RRF | Spectrum Core Red Wheel Ratchet Vented Helmet |
| 9019057 | S20RRFSBH | Spectrum Core Red Wheel Ratchet Vented with Badge Holder Helmet |
| 9018893 | S20WR | Spectrum Core White Wheel Ratchet Non Vented Helmet |
| 9018897 | S20WR SBH | Spectrum Core White Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019069 | S20WRF | Spectrum Core White Wheel Ratchet Vented Helmet |
| 9019073 | S20WRFSBH | Spectrum Core White Wheel Ratchet Vented with Badge Holder Helmet |
| 9018909 | S20YR | Spectrum Core Yellow Wheel Ratchet Non Vented Helmet |
| 9018913 | S20YR SBH | Spectrum Core Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019085 | S20YRF | Spectrum Core Yellow Wheel Ratchet Vented Helmet |
| 9019089 | S20YRFSBH | Spectrum Core Yellow Wheel Ratchet Vented with Badge Holder Helmet |

SPECTRUM SECUREPLUS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9018767 | S20KRL | Spectrum SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Non Vented Helmet |
| 9018883 | S20KRL SBH | Spectrum SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018943 | S20KRLF | Spectrum SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Vented Helmet |
| 9018947 | S20KRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Vented with Badge Holder Helmet |
| 9018783 | S20BRL | Spectrum SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Non Vented Helmet |
| 9018787 | S20BRL SBH | Spectrum SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018959 | S20BRLF | Spectrum SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Vented Helmet |
| 9018963 | S20BRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9018863 | S20HVORL | Spectrum SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Non Vented Helmet |
| 9018867 | S20HVORL SBH | Spectrum SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019039 | S20HVORLF | Spectrum SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Vented Helmet |
| 9019043 | S20HVORLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9018927 | S20HVYRL | Spectrum SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Non Vented Helmet |
| 9018931 | S20HVYRL SBH | Spectrum SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019103 | S20HVYRLF | Spectrum SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Vented Helmet |
| 9019107 | S20HVYRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Vented with Badge Holder Helmet |
| 9018799 | S20GRL | Spectrum SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Non Vented Helmet |
| 9018803 | S20GRL SBH | Spectrum SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9018975 | S20GRLF | Spectrum SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Vented Helmet |
| 9018979 | S20GRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Vented with Badge Holder Helmet |
| 9018991 | S20ERLF | Spectrum SecurePlus (4 pt Chinstrap) Gray Wheel Ratchet Vented Helmet |
| 9018831 | S20LBRL | Spectrum SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Non Vented Helmet |
| 9018835 | S20LBRL SBH | Spectrum SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019007 | S20LBRLF | Spectrum SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Vented Helmet |
| 9019011 | S20LBRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Vented with Badge Holder Helmet |
| 9018847 | S20ORL | Spectrum SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Non Vented Helmet |
| 9018851 | S20ORL SBH | Spectrum SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019023 | S20ORLF | Spectrum SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Vented Helmet |
| 9019027 | S20ORLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Vented with Badge Holder Helmet |
| 9018879 | S20RRL | Spectrum SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Non Vented Helmet |

SPECTRUM SECUREPLUS HELMET (CONT.)

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9018772 | S20RRLSBH | Spectrum SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019055 | S20RRLF | Spectrum SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Vented Helmet |
| 9019059 | S20RRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Vented with Badge Holder Helmet |
| 9018895 | S20WRL | Spectrum SecurePlus (4 pt Chinstrap) White Wheel Ratchet Non Vented Helmet |
| 9018899 | S20WRLSBH | Spectrum SecurePlus (4 pt Chinstrap) White Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019071 | S20WRLF | Spectrum SecurePlus (4 pt Chinstrap) White Wheel Ratchet Vented Helmet |
| 9019075 | S20WRLFSBH | Spectrum SecurePlus (4 pt Chinstrap) White Wheel Ratchet Vented with Badge Holder Helmet |
| 9018911 | S20YRL | Spectrum SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Non Vented Helmet |
| 9018916 | S20YRLSBH | Spectrum SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Non Vented with Badge Holder Helmet |
| 9019087 | S20YRLF | Spectrum SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Vented Helmet |

VISION PLUS CORE HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9018345 | S10PLUSEKA | Vision Plus Core Black Slip Ratchet Helmet |
| 9018355 | S10PLUSEKR | Vision Plus Core Black Wheel Ratchet Helmet |
| 9018346 | S10PLUSEBA | Vision Plus Core Blue Slip Ratchet Helmet |
| 9018356 | S10PLUSEBR | Vision Plus Core Blue Wheel Ratchet Helmet |
| 9018350 | S10PLUSEHVOA | Vision Plus Core Bright Orange Slip Ratchet Helmet |
| 9018360 | S10PLUSEHVOR | Vision Plus Core Bright Orange Wheel Ratchet Helmet |
| 9018354 | S10PLUSEHVYA | Vision Plus Core Bright Yellow Slip Ratchet Helmet |
| 9018364 | S10PLUSEHVYR | Vision Plus Core Bright Yellow Wheel Ratchet Helmet |
| 9018347 | S10PLUSEGA | Vision Plus Core Green Slip Ratchet Helmet |
| 9018357 | S10PLUSEGR | Vision Plus Core Green Wheel Ratchet Helmet |
| 9018348 | S10PLUSELBA | Vision Plus Core Light Blue Slip Ratchet Helmet |
| 9018358 | S10PLUSELBR | Vision Plus Core Light Blue Wheel Ratchet Helmet |
| 9018349 | S10PLUSEOA | Vision Plus Core Orange Slip Ratchet Helmet |
| 9018359 | S10PLUSEOR | Vision Plus Core Orange Wheel Ratchet Helmet |
| 9018351 | S10PLUSERA | Vision Plus Core Red Slip Ratchet Helmet |
| 9018361 | S10PLUSERR | Vision Plus Core Red Wheel Ratchet Helmet |
| 9018352 | S10PLUSEWA | Vision Plus Core White Slip Ratchet Helmet |
| 9018362 | S10PLUSEWR | Vision Plus Core White Wheel Ratchet Helmet |
| 9018353 | S10PLUSEYA | Vision Plus Core Yellow Slip Ratchet Helmet |
| 9018363 | S10PLUSEYR | Vision Plus Core Yellow Wheel Ratchet Helmet |

VISION PLUS SECUREPLUS HELMET

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9018375 | S10PLUSEKRL | Vision Plus SecurePlus (4 pt Chinstrap) Black Wheel Ratchet Helmet |
| 9018376 | S10PLUSEBRL | Vision Plus SecurePlus (4 pt Chinstrap) Blue Wheel Ratchet Helmet |
| 9018380 | S10PLUSEHVORL | Vision Plus SecurePlus (4 pt Chinstrap) Bright Orange Wheel Ratchet Helmet |
| 9018384 | S10PLUSEHVYRL | Vision Plus SecurePlus (4 pt Chinstrap) Bright Yellow Wheel Ratchet Helmet |
| 9018377 | S10PLUSEGRL | Vision Plus SecurePlus (4 pt Chinstrap) Green Wheel Ratchet Helmet |
| 9018378 | S10PLUSELBR | Vision Plus SecurePlus (4 pt Chinstrap) Light Blue Wheel Ratchet Helmet |
| 9018379 | S10PLUSEORL | Vision Plus SecurePlus (4 pt Chinstrap) Orange Wheel Ratchet Helmet |
| 9018381 | S10PLUSERRL | Vision Plus SecurePlus (4 pt Chinstrap) Red Wheel Ratchet Helmet |
| 9018382 | S10PLUSEWRL | Vision Plus SecurePlus (4 pt Chinstrap) White Wheel Ratchet Helmet |
| 9018383 | S10PLUSEYRL | Vision Plus SecurePlus (4 pt Chinstrap) Yellow Wheel Ratchet Helmet |

LIGHTING AND VISIBILITY

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|---|
| 9034457 | S30HIRS | High Intensity Reflective Stickers |
| 9034459 | S30SNHIRS | Nexus Silver HIRS Stickers |
| 9034199 | S30VLS | Vizlite DT Phosphorescent helmet stickers (5 sets/PK) |

SEASONAL ACCESSORIES

| New Product Code | Previous Product Code | Product Description |
|------------------|-----------------------|--|
| 9034436 | S31DCHP | Kalis Bright Yellow Dry Cooling Helmet Pad |
| 9034178 | S31DCHS | Kalis Bright Yellow Dry Cooling Helmet Sweatband |
| 9034447 | S51HVO | Bright Orange Helmet Sun Cape |
| 9034462 | S51HVY | Bright Yellow Helmet Sun Cape |
| 9034467 | S50HCB | Black Helmet and Cap Winter Beanie |
| 9034444 | S50HVOFC | Bright Orange Cold Weather System Frost Cape |
| 9034445 | S50HVYEDFC | Bright Yellow Cold Weather System Frost Cape with Ear Defender compatibility |
| 9051993 | S50UFLSP | Navy Blue Specialised Cold Weather System Universal Helmet Liner |



Our Commitment

Dedicated to continuous improvement, we are unwavering in our commitment to setting higher standards in safety, fairness, inclusivity. Safety remains our top priority, underpinned by a robust safety culture that ensures the well-being of our employees and partners. In our environmental journey, we proudly achieved ISO 14001 Accreditation in August 2021. This milestone not only reflects our commitment to environmental responsibility but also served as a catalyst for reviewing and enhancing our environmental credentials.

We are driven by a commitment to excellence, ensuring a safer, fairer, and environmentally conscious future.

 **A BRITISH BRAND
SINCE 1879**

Centurion Safety Products Ltd

T: +44 (0) 1842 754266

F: +44 (0) 1842 765590

A: 21 Howlett Way, Thetford,
Norfolk, IP24 1HZ, United Kingdom
www.centurionsafety.co.uk

2023

Distributed in North America by MPS Inc.

Toll free: 800-852-6529

Local or Intl: 309-852-6529

P.O. Box 484

Kewanee, IL 61443

mail@go-mps.com go-mpsinc.com